

Issuing Date 2015-06-19 Revision Date 2015-06-19 Revision Number 1

Identification of the substance/preparation and of the Company/undertaking

1.1 Product Identifier

Product Type Welding powder

Product name Deloro 60 / M/-1 powder

Product code KSPN1013-1

Type Powder

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended UseWear and Corrosion Resistant Welding Consumable. For use in industrial installations only.

Uses advised against None reasonably foreseeable.

1.3 Details of the supplier of the safety data sheet

Importer Prepared by Kennametal Inc. 1600 Technology Way

Latrobe, PA 15650, USA

For further information, please contact:

E-mail k-corp-product.safety@kennametal.com

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

NRC (National Response Center) UK, National Poisons Information Service +44 844 892 0111

Ireland, Poisons Information Centre of Ireland +353 1 809 2166

Australia, NSW Poisons Information Centre +61 131126 New Zealand, New Zealand National Poisons Centre +64 800 764 766

South Africa, Bloemfontein Poison Control and Medicine Information Centre, +27 824 910

160

2. Hazards Identification

2.1 Classification of the substance or mixture

Regulation (EC) No 1272/2008

| Skin sensitization | Category 1 |
|--|------------|
| Carcinogenicity | Category 2 |
| Specific target organ toxicity (repeated exposure) | Category 1 |

Classification and labeling has been done according to 67/548/EEC with amendments and 1999/45/EC with amendments. This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Symbols/Pictograms T - Toxic

R-Phrases R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact

R48/23 - Toxic: danger of serious damage to health by prolonged exposure through

inhalation

2.2 Label Elements

Product name Deloro 60 / M/-1 powder

Product code KSPN1013-1







signal word DANGER

Hazard Statements H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer

H372 - Causes damage to organs through prolonged or repeated exposure if inhaled

EU Specific Hazard Statements EUH208 - Contains (Nickel). May produce an allergic reaction.

precautionary statements P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P273 - Avoid release to the environment

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

precautionary statements P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking

P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace

P285 - In case of inadequate ventilation wear respiratory protection

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

2.3 Other Hazards

WARNING May cause sensitization by skin contact. Vapors may be irritating to eyes, nose, throat, and

lungs. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Welding Hazards CAUTION. Welding will create fumes which may be toxic. If welding is performed on plated

or coated materials such as galvanised or painted steel, excessive fume may be produced which contains additional hazardous components, and may result in metal fume fever or other health effects. Arc Rays can injur eyes and burn skin. Electric shock can kill. The

product and work surface will be hot during and after welding.

2.4 Additional Information

Potential health effects Inhalation

Product Information

May be harmful if inhaled. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. May cause allergy or asthma symptoms or breathing difficulties if inhaled. MAY CAUSE ALLERGIC RESPIRATORY REACTION.



Eye ContactContact with eyes may cause irritation. Particulates may cause irritation due to mechanical

abrasion. May cause eye irritation with susceptible persons.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion

may cause irritation to mucous membranes.

Irritation Repeated exposure may cause skin dryness or cracking.

Sensitization May cause sensitization of susceptible persons.

Chronic effects Prolonged exposure may cause chronic effects. CNS and psychiatric effects, Parkinson-like

symptoms. Languor, sleepiness and weakness in legs. A stolid masklike appearance of face, emotional disturbances such as uncontrollable laughter and spastic gait with tendency to fall in walking and findings in more advanced cases. Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Repeated or prolonged exposure may cause central nervous system

damage.

Carcinogenicity This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

carcinogenic to humans (Group 2B).

Main Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. MAY CAUSE

ALLERGIC SKIN REACTION. Neurological disorders.

Aggravated Medical Conditions Skin disorders, Neurological disorders, Respiratory disorders, Preexisting eye disorders,

Allergies, Blood disorders, Kidney disorders, Liver disorders, Overexposure may cause

female and male reproductive disorder(s)

environmental hazard See Section 12 for additional Ecological Information.

3. Composition/information on Ingredients

| Chemical name | Formula | EC No | CAS-No | weight-% | Classification | GHS Classification | REACH Reg. No |
|---------------|---------|-----------|-----------|----------|-------------------------------------|---|-------------------|
| Nickel | Ni | 231-111-4 | 7440-02-0 | > 50 | Carc.Cat.3; R40 R43 T; R48/23 | STOT RE 1 (H372) S,7 Carc. 2 (H351) S,7 Skin Sens. 1 (H317) S,7 Aquatic Chronic 3 (H412) | No data available |
| Chromium | Cr | 231-157-5 | 7440-47-3 | 10 - 25 | - | | No data available |
| Silicon Metal | Si | 231-130-8 | 7440-21-3 | 3 - 5 | - | | No data available |
| Iron | Fe | 231-096-4 | 7439-89-6 | 3 - 5 | - | | No data available |
| Boron | В | 231-151-2 | 7440-42-8 | 3 - 5 | - | | No data available |
| Carbon | С | 231-153-3 | 7440-44-0 | 0.1 - 1 | - | | No data available |

NOTE This product may contain additional substances with a content of less than 0.1 % per

substance, which are not listed. May contain additional substances in a range up to 2 %

which are not classified hazardous or may not contribute to the products overall

classification.

Full text of R-phrases referred to under

sections 2 and 3

R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact

Risk Combination Phrases R48/23 - Toxic: danger of serious damage to health by prolonged exposure through inhalation

Full text of H-Statements referred to

under sections 2 and 3

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer if inhaled

H372 - Causes damage to the following organs through prolonged or repeated exposure if inhaled:

Lungs

H412 - Harmful to aquatic life with long lasting effects

4. First aid measures

General advice Immediate medical attention is required. In case of accident or unwellness, seek medical

advice immediately (show directions for use or safety data sheet if possible).

4.1 Description of first aid measures

Eye Contact Keep eye wide open while rinsing. Call a physician immediately. Rinse thoroughly with

plenty of water for at least 15 minutes and consult a physician.

Skin contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. Wash off immediately with soap

and plenty of water.

Inhalation Move to fresh air. Immediate medical attention is required. If not breathing, give artificial

respiration.

Ingestion Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an

unconscious person. Call a physician or poison control center immediately. Rinse mouth.

Self-protection of the first aider Wear suitable gloves. Self-protection of the first aider.

Most important symptoms and effects, both acute and delayed

CNS and psychiatric effects, Parkinson-like symptoms. Languor, sleepiness and weakness

in legs. A stolid masklike appearance of face, emotional disturbances such as

uncontrollable laughter and spastic gait with tendency to fall in walking and findings in more advanced cases. May cause allergy or asthma symptoms or breathing difficulties if inhaled

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. May cause sensitization by inhalation and skin contact.



Notes to Physician

Treat symptomatically May cause sensitization by inhalation and skin contact May cause

sensitization of susceptible persons

5. Fire-fighting measures

5.1 Extinguishing media

surrounding environment.

Extinguishing media which must none. not be used for safety reasons

5.2 Special hazards arising from the Non-combustible, substance itself does not burn but may decompose upon heating to

substance or mixture

produce corrosive and/or toxic fumes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. May cause sensitization by inhalation and skin

contact. Carbon oxides.

5.3 Advice for fire- fighters Use personal protective equipment as required. In the event of fire, wear self-contained

breathing apparatus.

6. Accidental release measures

6.1 Personal precautions, protective Avoid contact with skin and eyes. Ensure adequate ventilation. Use personal protective **equipment and emergency** equipment as required. Avoid dust accumulation in enclosed space.

procedures

6.2 Environmental precautions Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labeled containers. Do not dry sweep dust. Wet dust with

water before sweeping or use a vacuum to collect dust.

6.4 Reference to other sections

7. Handling and Storage

7.1 Precautions for safe handling Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear

suitable respiratory equipment. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes, skin and clothing. Wear suitable protective clothing. Use only with adequate ventilation. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

7.2 Conditions for safe storage, including any incompatibilities

Keep in properly labeled containers. Keep container tightly closed in a dry and well-ventilated place. Keep containers tightly closed in a cool, well-ventilated place.

Storage temperature

Storage Life Stable under normal conditions

incompatible materials

7.3 Specific end use(s) Welding. Restricted to professional users. For use in industrial installations only.

8. Exposure Controls/Personal Protection

8.1 Control parameters





| osure controls Chemical name | EU | Austria | Belgium | Czech Republic | Denmark |
|-------------------------------|---|--|---|--|---|
| Nickel | | Group A1 Carcinogen (dust/aerosol) 2 mg/m³ STEL KZW (dust, inhalable fraction, as Ni, 4 x 15 min) 0.5 mg/m³ TWA [TMW] (dust, inhalable fraction) | 1 mg/m³ TWA | 0.5 mg/m³ TWA Ceiling: 1 mg/m³ Ceiling: 0.25 mg/m³ | 0.05 mg/m³ TWA (dus and powder) |
| Chromium | 2 mg/m³ TWA | 2 mg/m³ TWA [TMW] | 0.5 mg/m³ TWA | 0.5 mg/m³ TWA (dust) Ceiling: 1.5 mg/m³ | 0.5 mg/m³ TWA (dus |
| Silicon Metal | | | 10 mg/m³ TWA | <u> </u> | 10 mg/m³ TWA |
| Carbon | | 5 mg/m ³ TWA [TMW] (alveolar dust with <1% Quartz) | <u> </u> | | - |
| Chemical name | Finland | France | Germany OEL (TWA) | Hungary | Italy |
| Nickel | 1 mg/m³ TWA | 1 mg/m³ TWA [VME]; 1 mg/m³ TWA [VME] (metal gratings) | 2 / 2 TMA A 2 W | Ceiling: 0.1 mg/m³ Ceiling: 0.01 mg/m³ | 1.5 mg/m³ TWA (inhalable fraction) |
| Chromium | 0.5 mg/m³ TWA | 2 mg/m³ TWA [VME] (indicative limit) | 2 mg/m³ TWA AGW (inhalable fraction, exposure factor 1) | 2 mg/m³ TWA [AK] | 0.5 mg/m³ TWA |
| Silicon Metal | | 10 mg/m³ TWA [VME] | | | |
| Chemical name | Ireland | Luxembourg | Netherlands | Norway 0.05 mg/m³ TWA | Poland |
| Nickel | 0.5 mg/m³ TWA | | | STEL: 0.15 mg/m ³ | 0.25 mg/m³ TWA [NDS] |
| Chromium | 2 mg/m³ TWA | 2 mg/m³ TWA | 0.5 mg/m³ TWA | 0.5 mg/m³ TWA STEL: 1.5 mg/m³ | 0.5 mg/m³ TWA [NDS |
| Silicon Metal | 10 mg/m³ TWA (total inhalable dust); 4 mg/m³ TWA (respirable dust) | | | 10 mg/m³ TWA (equal to the standard for nuisance dust) STEL: 20 mg/m³ | |
| Carbon | | | | - | 4.0 mg/m³ TWA [NDS (natural, total inhalab dust); 1.0 mg/m³ TW [NDS] (natural, respirable dust); 6.0 mg/m³ TWA [NDS] (synthetic, total inhalable dust) |
| Chemical name | Portugal | Spain | Switzerland | Sweden | United Kingdom |
| Nickel | 1.5 mg/m ³ TWA [VLE-MP] (inhalable fraction) | 1 mg/m³ TWA [VLA-ED] (manufacturing, commercialization, and use restrictions under REACH) | 0.5 mg/m³ TWA [MAK] (inhalable) | 0.5 mg/m³ LLV (total dust) 0.1 mg/m³ LLV (except Nickel carbonyl and Trinickeldisulfide, total dust, as Ni) | STEL: 1.5 mg/m³ TWA: 0.5 mg/m³ |
| Chromium | 0.5 mg/m³ TWA [VLE-MP] | 2 mg/m³ TWA [VLA-ED] (indicative limit value) | 0.5 mg/m³ TWA [MAK] (inhalable) | 0.5 mg/m³ LLV (total dust) | STEL: 1.5 mg/m³ TWA: 0.5 mg/m³ |
| Silicon Metal | | | 3 mg/m³ TWA [MAK] (respirable) | | STEL: 30 ppm STEL: 12 mg/m³ TWA: 10 mg/m³ TWA: 4 mg/m³ |
| Chemical name | Australia | Israel | Russia | South Africa | Turkey |
| Nickel | 1 mg/m³ TWA | 1.5 mg/m³ TWA (inhalable fraction) 0.750 mg/m³ AL (inhalable, as as Ni) | MAC: 0.05 mg/m ³ | 0.05 mg/m³ TWA 0.5 mg/m³ TWA | |



| Chromium | 0.5 mg/m³ TWA | 0.5 mg/m³ TWA 0.250 mg/m³ AL (as as Cr) | | 0.5 mg/m³ TWA | 2 mg/m³ TWA |
|---------------|--|---|---|---|-------------|
| Silicon Metal | 10 mg/m³ TWA (containing no asbestos and <1% crystalline silica, inhalable dust) | , | | 10 mg/m³ TWA (inhalable particulate); 5 mg/m³ TWA (respirable particulate) 10 mg/m³ TWA (total inhalable dust); 5 mg/m³ TWA (respirable dust) | |
| Iron | | | TWA: 10 mg/m ³ | | |
| Boron | | | TWA: 2 mg/m ³ STEL: 5 mg/m ³ | | |
| Carbon | | | | 10 mg/m³ TWA (inhalable particulate); 5 mg/m³ TWA (respirable particulate) | |

| Chemical name | Derived No Effect Level (DNEL) | Predicted No Effect Concentration (PNEC) |
|---------------|---|---|
| Nickel | 4 mg/m³ short term local inhalation; 0.05 mg/m³ long term | 0.0035-0.0218 mg/l freshwater; 0.0023 mg/l marine water |
| | local inhalation | |
| Chromium | 0.5 mg/m³ local inhalation | No information available at product level |
| Iron | 3 mg/m³ local inhalation | No information available at product level |
| Carbon | 10 mg/m³ systemic inhalation | No information available at product level |

8.2 Exposure controls

Personal precautionsUse personal protective equipment as required. Avoid contact with eyes, skin and clothing.

Wash hands before eating, drinking or smoking. Keep away from food, drink and animal

feeding stuffs. Do not eat, drink or smoke when using this product.

Engineering controls Ensure adequate ventilation, especially in confined areas.

Eye Protection Wear safety glasses with side shields (or goggles).

Skin Protection Wear suitable gloves. Wear suitable protective clothing.

Hand Protection Protective gloves. The product and work surface will be hot during and after welding.

Ensure adequate protection is in place to stop individuals from burning themselves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when

using this product. Regular cleaning of equipment, work area and clothing is recommended.

Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling.

Biological standards

Special Precautions for users Eye-irrigation bottle with pure water. Health Surveillance should be in place for employees

who are exposed while using this product. Training required.

Environmental exposure

controls

Do not allow to enter into soil/subsoil. In case of gas escape or of entry into waterways, soil

or drains, inform the responsible authorities.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties



Physical State solid Appearance metallic, Powder

Odor none Melting point / melting range 965-1040 °C / 1770-1900 °F

flash pointnot applicableVapor Pressurenot applicableVapor Densitynot applicableWater solubilityInsoluble in water

Autoignition temperature N/A **Viscosity** solid

Density 8.44 g/cm3 **Explosive properties** not applicable

9.2. Other information

VOC Content (%) Not Applicable

10. Stability and Reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Stable under normal conditions

10.3 Possibility of hazardous

reactions

Stable under normal conditions

10.4 Conditions to avoid Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

10.5 Incompatible materials Acids. Strong oxidizing agents.

10.6 Hazardous decomposition

products

Thermal decomposition can lead to release of toxic/corrosive gases and vapors.

11. Toxicological Information

11.1 Information on toxicological effects

Product Information

Acute toxicity

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Eye Contact Contact with eyes may cause irritation. Particulates may cause irritation due to mechanical

abrasion. May cause eye irritation with susceptible persons.

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Prolonged contact may cause redness and irritation. Prolonged skin contact may defat the

skin and produce dermatitis. May cause sensitization by skin contact.

Carcinogenicity Category 2

Neurological effects Repeated or prolonged exposure may cause central nervous system damage. Prolonged or

excessive exposure to manganese in dust or fume may cause irreversible central nervous system damage (Manganism). Symptoms resemble Parkinson's disease and include

tremors, impaired speech, mask like face and impaired movement.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea Ingestion may

cause irritation to mucous membranes

Irritation Repeated exposure may cause skin dryness or cracking.

Sensitization May cause sensitization of susceptible persons

| Chemical name | Oral LD50 | dermal LD50 | Inhalation LC50 |
|---------------|---------------------|--|----------------------------------|
| Nickel | >9000 mg/kg bw | Data waiving - Other Justification | NOAEC >=10.2 mgL air |
| Chromium | LD50 >5000 mg/kg bw | Data waiving - Study Scientifically Unjustified | LC50 >5.41 mg/L air (analytical) |



| Silicon Metal | LD50 >3160 mg/kg bw | LD50 >5000 mg/kg bw | Acutely Non Toxic |
|---------------|---------------------|-----------------------------|-----------------------------|
| Iron | = 984 mg/kg (Rat) | | |
| Boron | 650 mg/kg (Rat) | Not Listed in C&L Inventory | Not Listed in C&L Inventory |
| Carbon | > 10000 mg/kg (Rat) | | |

<u>Chronic toxicity</u> Prolonged exposure may cause chronic effects. CNS and psychiatric effects, Parkinson-like

symptoms. Languor, sleepiness and weakness in legs. A stolid masklike appearance of face, emotional disturbances such as uncontrollable laughter and spastic gait with tendency to fall in walking and findings in more advanced cases. Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Repeated or prolonged exposure may cause central nervous system

damage.

Carcinogenicity This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

carcinogenic to humans (Group 2B).

Carcinogenic effects The table below indicates whether each agency has listed any ingredient as a carcinogen

| Chemical name | IARC | EU Annex I Carcinogen Information | Austria - Carcinogens | Belgium - Suspected Carcinogens and Mutagens |
|---------------|--|--------------------------------------|---------------------------------------|--|
| Nickel | Nickel Compounds: Group 1 - Known Human Carcinogen - Nickel, Metalic & Alloy: Group 2B - Possible Human Carcinogen | Category 3 | Group A1 Carcinogen (dust/aerosol) | |
| Chromium | Group 3 - Not Classified as a Human Carcinogen | Category 3 | | |
| Chemical name | France - Carcinogens | Germany - Carcinogens | Hungary - Carcinogens | Ireland - Carcinogens |
| Nickel | | Category 1 (causes cancer in man) | | |
| Chemical name | Italy - Carcinogens | Netherlands - Carcinogens | Norway - Carcinogens | Portugal - Carcinogens |
| Nickel | Category 3 Carcinogen A5 - Not Suspected as a Human Carcinogen | | | Present Present (refined) A5 - Not Suspected as a Human Carcinogen |
| Chromium | A4 - Not Classifiable as a Human Carcinogen | | | Present A4 - Not Classifiable as a Human Carcinogen |
| Chemical name | Australia - Carcinogens | New Zealand | Russia - Carcinogens | South Africa - Carcinogenic Compounds |
| Nickel | | | | Confirmed Human Carcinogen |

MUTAGENIC EFFECTS None known

Developmental toxicity None known

none

Target organ effects blood, Eyes, Jaw, kidney, liver, Lungs, Nasal Cavities, respiratory system, Skin, Teeth

Neurological effects Repeated or prolonged exposure may cause central nervous system damage. Prolonged or

excessive exposure to manganese in dust or fume may cause irreversible central nervous system damage (Manganism). Symptoms resemble Parkinson's disease and include

tremors, impaired speech, mask like face and impaired movement.

11.2 Other Information

Substance related information

12. Ecological Information



12.1. Ecotoxicity

Ecotoxicity VERY TOXIC TO AQUATIC ORGANISMS.

| Chemical name | Algae toxicity | Acute Fish toxicity | Toxicity to Microorganisms | Daphnia magna |
|---------------|--|--|----------------------------|--|
| Nickel | EC10 - 316.5 ug/L | LC50 - 15.3 mg/L | Not available | LC50 >200ug/L (@6-6.5 pH), 13ug/L (@8-8.5pH) |
| Chromium | Data Waiving - Study Scientifically Unjustified | Data Waiving - Study Scientifically Unjustified | Not available | Data Waiving - Study Scientifically Unjustified |
| Silicon Metal | Data Waiving - Study Scientifically Unjustified | Data Waiving - Other Justification | Not available | Data Waiving - Study Scientifically Unjustified |
| Iron | NOEC - 1.4 mg/L | Data Waiving - Study Scientifically Unjustified | Not available | Data Waiving - Study Scientifically Unjustified |

12.2 Persistence and degradability Product/Substance is inorganic. not applicable.

12.3 Bioaccumulative potential This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

12.4 Mobility in soil No information available

12.5 Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or

vPvB

12.6 Other adverse effects

13. Disposal Considerations

13.1 Waste treatment methods

<u>Disposal Considerations</u> It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Improper disposal or reuse of this container may be dangerous and illegal. Refer to applicable local, state and federal

regulations as well as industry standards.

Waste from residues/unused

products

Reuse or recycle.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

OTHER INFORMATION Waste codes should be assigned by the user based on the application for which the product

was used.

14. Transport Information

IMO / IMDG Not regulated

ADR / RID Not regulated

ICAO / IATA-DGR Not regulated

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



Legend

<u>15.2 Chemical Safety Assessment</u> Chemical Safety Assessment available for this product The preparation is classified as dangerous in accordance with Directive 1999/45/EC.

| Chemical name | Germany - Water Classification (VwVwS) |
|---------------|---|
| | ID Number 7182, hazard class 2 - hazard to waters (footnote 47) ID Number 7616, hazard class 2 - hazard to waters (particle size <0.1 mm) |
| Chromium | ID Number 1443, not considered hazardous to water |
| Iron | ID Number 748, not considered hazardous to water |
| Boron | ID Number 7094, not considered hazardous to water |
| Carbon | ID Number 801, not considered hazardous to water |

International Inventories

| Chemical name | EINECS | ELINCS | TSCA | DSL | NDSL | ENCS | IECSC | AICS | KECL |
|---------------|--------|--------|---------|--|-------------------|------|-------|------|------|
| Nickel | - | - | Present | CEPA=Yes (Category=In organics; Health Criteria=No, Human Health Priority=Low) Yes (Category=In organics; P=yes, B=no, | Present (1994) | - | - | - | · |
| Chromium | - | - | Present | IT=yes) CEPA=Yes (Category=In organics; Health Criteria=Yes, Human Health Priority=Mod erate) | | - | - | - | - |
| Silicon Metal | - | - | Present | - | - | - | - | - | - |
| Iron | - | - | Present | - | - | - | - | - | - |
| Boron | - | - | Present | - | - | - | - | - | - |
| Carbon | - | - | Present | - | - | - | - | - | - |

Legend:

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

| Chemical name | EU REACH Pre-registered Substances | EU REACH Registered Substances | Prohibited in | EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances for Eventual Inclusion in Annex XIV | Substances |
|---------------|--|--------------------------------------|---------------|--|------------------------------|
| Nickel | November 30, 2010 | 2011-02-18 | - | - | Use restricted. See item 27. |
| Chromium | November 30, 2010 | 2011-03-17 | - | - | - |
| Silicon Metal | November 30, 2010 | 2010-12-20 | - | - | - |
| Iron | November 30, 2010 | 2011-03-17 | - | - | - |



| Boron | November 30, 2010 | = | = | = | - |
|--------|-------------------|------------|---|---|---|
| Carbon | November 30, 2010 | 2013-05-17 | = | • | - |

16. Other Information

Prepared by Kennametal Inc. 1600 Technology Way Latrobe, PA 15650, USA

 Issuing Date
 2015-06-19

 Revision Date
 2015-06-19

Revision Note not applicable

Disclaimer

Kennametal urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDS's obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

End of Safety Data Sheet