NEW

OVERLAP




Michael Anastassiades, 2018

NEW

NOCTAMBULE



Konstantin Grcic, 2018



La nuova collezione di lampade è realizzata in moduli di vetro soffiato, trasparenti e dunque quasi inesistenti durante il giorno. Ma se accesi nell'oscurità si trasformano in splendide lampade illuminate. I moduli in vetro a forma cilindrica sono i fondamenti della collezione.

The new collection of lamps is made of blown glass modules, which are see-through and therefore almost inexistent at day-time. But, when you switch them on in the dark, they transform into georgeous, illuminated lamps. The cylindrical glass modules set the basic grammar of the collection.

Il modulo singolo è una lanterna. Diversi moduli sovrapposti creano una colonna di luce, o un chandelier per il vano delle scale. Altri elementi come la cupola in vetro o la testa a forma di cono consentono ulteriori performance come una piantana e una sospensione.

The single module is a lantern. Several modules stacked on top of each other create a light column, or suspended chandelier inside a stair well. Extra elements such a glass dome or cone shaped head allow for added performance such as a floorstanding uplighter and pendant.















STRING LIGHT

Technical info p.375-376



Photo by Zoë Ghertner

Michael Anastassiades, 2014

“Quando viaggio in treno, osservo sempre quei cavi elettrici fuori dal finestrino. E’ cosi bello e poetico il modo in cui collegano i tralicci gli uni agli altri e, al contempo, spezzano il paesaggio. Volevo tradurre tutto ciò in architettura d’interni”
- M. Anastassiades

“When I sit on a train travelling, I always see these strings of electricity out of the window. It’s so beautiful and poetic the way they connect the pylons but at the same time they divide the landscape. I wanted to translate this into interior architecture.”
- M. Anastassiades













IC

Michael Anastassiades, 2014

Technical info p.345



TARAXACUM 88



Technical info p.379

Photo by Zoë Ghertner

Achille Castiglioni, 1988



A. Castiglioni esamina il primo prototipo di Taraxacum 88 nel suo Studio di Piazza Castello a Milano.

A. Castiglioni examines the first prototype of Taraxacum 88 in his Piazza Castello Studio in Milan.




TATOU


Technical info p.380



Patricia Urquiola, 2012



OK



Konstantin Grcic, 2014

Photo by Zoë Ghertner

Technical info p.363

Technical info p.374

SPLÜGEN BRÄU



Achille & Pier Giacomo Castiglioni, 1961

La lampada Splügen Bräu, disegnata dai fratelli Castiglioni per illuminare l'omonima birreria-ristorante di Milano.

The Splügen Bräu lamp designed by the Castiglioni brothers to light the restaurant and beer house of the same name in Milan.



Courtesy of Fondazione Achille Castiglioni - Photo by Studio Casali

FUCSIA

Technical info p.335



Achille Castiglioni, 1996





Technical info p.367

RAY



Rodolfo Dordoni, 2007

WAN



Johanna Grawunder, 2006

“Nella mia casa precedente c’era un fantastico soffitto antico intonacato. L’ho chiamato il mio Giardino sul tetto [...] Mi piaceva così tanto che quando mi trasferii, non riuscii a separarmene. Dovevo trovare il modo di portarlo nella nuova casa.” - M. Wanders

“In my previous home there was a fantastic antique plaster ceiling. I called it my garden on the roof [...] I liked it so much that when I moved I couldn’t live without it and had to find a way to transfer it to my new home.” - M. Wanders



SKYGARDEN



Marcel Wanders, 2007

Photo by Zoë Ghertner

Technical info p.372





A. Castiglioni lavora illuminato dalla lampada Frisbi: un disco che appare sospeso a mezz'aria, acceso dalla luce riflessa da una piccola cupola cromata.

A. Castiglioni at work under the Frisbi lamp: a disk that seems to hang in mid-air, lit by the light reflected from a small chrome-plated dome.

FRISBI



Achille Castiglioni, 1978

Technical info p.334

ROMEO BABE

Technical info p.368



Philippe Starck, 1997

ROMEO MOON




Philippe Starck, 1996

Technical info p.369

Taraxacum è tra le prime lampade realizzate in cocoon, un materiale plastico ottenuto spruzzando una resina, utilizzato in origine dall' Esercito Americano come materiale protettivo di imballaggio.

Taraxacum is one of the first lamps produced using cocoon, a plastic material obtained using a resin spray, originally used by the US Army as a protective material for packaging.




TARAXACUM



Achille & Pier Giacomo Castiglioni, 1960

Technical info p.382

VISCONTEA



Achille & Pier Giacomo Castiglioni, 1960



Achille e Pier Giacomo Castiglioni con Marcel Breuer e la lampada Viscontea al negozio di Gavina a Milano, 1962.

Achille and Pier Giacomo Castiglioni with Marcel Breuer and the Viscontea lamp at the Gavina store in Milan, 1962.

Photo by Franco Cotti

Technical info p.356

NEBULA



Joris Laarman, 2007

“Chasen si ispira ad un antico strumento orientale, la tradizionale frusta in bamboo per la cerimonia del tè, in cui i delicati filamenti assumono forme sempre diverse.” - P. Urquiola

“Chasen takes its inspiration from an ancient oriental instrument, the traditional bamboo whip used during the tea ceremony, whose delicate filaments continue to change shape.” - P. Urquiola





CHASEN

Technical info p.329



Patricia Urquiola, 2007





Technical info p.317-318

AIM & AIM SMALL



Erwan & Ronan Bouroullec, 2013/2014





“Con Aim abbiamo elaborato una nuova tipologia di lampada che si posiziona nello spazio in modo naturale - come farebbe una pianta - grazie ai lunghi cavi di sospensione che facilitano liberamente l’orientamento e l’altezza della luce.” - R. & E. Bouroullec

“With Aim we devised a new type of lamp that stands in space in a natural way, like a plant, thanks to the long suspension wires that make it easy to direct the light and adjust its height.” - R. & E. Bouroullec

2620



Technical info p.317

Ron Gilad, 2013



GLO-BALL



Jasper Morrison, 1998/2006

Technical info p.341-342



2097



Gino Sarfatti, 1958

Technical info p.316



PARENTESI



Achille Castiglioni and Pio Manzú, 1971

Technical info p.364-365



SMITHFIELD



SUSPENSION

Technical info p.373

SMITHFIELD

Photo by Zoë Ghertner

Jasper Morrison, 2009

M. Wanders sperimenta in modo giocoso la tecnica del cocoon, con cui è realizzata la lampada Zeppelin.

M. Wanders plays ironically with cocoon, the material from which the Zeppelin lamp is made.





ZEPPELIN



Marcel Wanders, 2005

Technical info p.382-383

KTRIBE


Technical info p.350



Philippe Starck, 2005

«I cannot help mocking our unwavering certainties. It is, for example, great fun deliberately to confuse two and three dimensions, the plane and space, or to poke fun at gravity. Are you sure that a floor cannot also be a ceiling? Are you absolutely certain that you go up when you walk up a staircase?» — *Maurits Cornelis Escher*

WALL & CEILING LAMPS



NEW


LA PLUS BELLE



Philippe Starck, 2018


Technical info p.352






Il sistema di fissaggio a parete permette di appendere lo specchio come un quadro.

The wall fixing system that allows you to hang the mirror like a picture.






In alto: La Plus Belle è progettata per fornire il meglio della luce. Sotto il suo diffusore in silicone ottico si nascondono LED speciali assemblati in modo molto frequente per aumentare l'uniformità di diffusione e forniscono una performance unica grazie alla combinazione eccezionale di un indice di fedeltà cromatica (CRI) pari a 95 più un indicatore di stabilità dei rossi superiore a 90 (R9>90). Inoltre, la luce di La Plus Belle è gradevole e morbida (2700K) e gestibile dal dimmer a sensore integrato nello specchio.
A destra: La cornice di La Plus Belle è realizzata in una speciale lega di alluminio che consente di ottenere colorazioni anodiche di elevatissima qualità. Le finiture disponibili si dividono in anodizzato spazzolato (oro, rame) o anodizzato lucidato (bronzo, alluminio naturale).

Top: La Plus Belle is designed to provide the best possible light. Special LEDS are hidden beneath the optical silicone diffuser, assembled in a very frequent mode to increase the uniformity of the diffusion and provide a unique performance thanks to the exceptional combination of a chromatic rendering index (CRI) of 95 plus a reds stability indicator of over 90 (R9>90). Furthermore, the light from La Plus Belle is pleasant and soft (2700K) as well as manageable by the dimmer with a sensor integrated in the mirror.
Right: The frame of La Plus Belle is made of a special aluminium alloy that provides the best possible extremely high quality anode colourations. The finishes available are brushed anodized (gold, copper) or polished anodized (bronze, natural aluminium).







NEW


WIRERING



Formafantasma, 2018

Technical info p.382





Il cavo e l’anello possono avere diverse combinazioni di colore, scegliendo tra una gamma di tre finiture per il cavo e cinque per l’anello.

The cable and ring are available in different colour combinations. There is a range of three finishes for the cable and five for the ring.



Technical info p.353-355

MY WAY



Piero Lissoni, 2017





REAL MATTER



Piero Lissoni, 2017

Technical info p.330-333

CLIMBER



Piero Lissoni, 2017





CAMOUFLAGE



Piero Lissoni, 2017

CLESSIDRA OUTDOOR



CLESSIDRA



Antonio Citterio, 2011

SMITHFIELD



Jasper Morrison, 2009

Technical info p.373

Una palla opalescente, che pare voglia scivolare via, apparentemente instabile. Come se si trattasse dello strumento del numero di un giocoliere che magicamente riesce a far stare in equilibrio sfera e bastone.

An apparently unstable opalescent ball that seems to want to slide away. As a juggler who magically balances a sphere on a stick.



IC



Michael Anastassiades, 2014

265




Paolo Rizzatto, 1973

Technical info p.316

La tecnica artigianale di soffiatura a bocca del vetro, con cui è realizzato il diffusore della lampada Glo-ball.

The diffuser of the Glo-ball lamp is hand blown glass.





GLO-BALL



Jasper Morrison, 1999/2009

ONTHEROCKS



Antonio Citterio assistant Toan Nguyen, 2003

Clara è concepita per offrire un'illuminazione diffusa e confortevole. La lampada può essere completata con un anello esterno, per ottenere un abbinamento perfetto con l'ambiente circostante.

Clara is designed to provide a comfortable and diffuse light. The lamp can be completed by an optional external ring, to perfectly match the taste of the environment.





CLARA

Technical info p.330



Piero Lissoni, 2014

Technical info p.379


TARAXACUM 88



Achille Castiglioni, 1988



ARIETTE



Tobia Scarpa, 1973

Technical info p.381

WAN



Johanna Grawunder, 2005

SKYGARDEN RECESSED



Marcel Wanders, 2009



POCHETTE



Rodolfo Dordoni, 2003

Technical info p.353

MONI



Achille Castiglioni, 1982

La luce di Moni disegna sul muro una corona di raggi e la trasforma in un sole.

The Moni lamp draws a crown of rays on the wall, transforming it into a sun.




Photo by Luciano Svegliado

Technical info p.351

KTRIBE



Philippe Starck, 2007

ROMEO BABE



Philippe Starck, 1996/2004


Technical info p.326

MINI BUTTON



Piero Lissoni, 2005

BUTTON



Piero Lissoni, 2004

Technical info p.326

Technical info p.334

FOGLIO



Tobia Scarpa, 1966

TIGHT LIGHT



Piero Lissoni, 2011



ABAJOURD'HUI

Technical info p.383



Flos Soft Architecture

SOFT SPUN




Flos Soft Architecture

Grazie all'innovativo materiale composito Under Cover della versione Soft, la lampada Spun Light si integra perfettamente all'architettura degli spazi affiorando dalla parete.

Making use of the Soft version of the innovative composite material Under Cover, the Spun Light integrates seamlessly with the architecture of spaces, rising out of the surface of the wall.



TECHNICAL INFO



265

Paolo Rizzatto, 1973

Potenza · *Power* MAX 75W

Tensione · *Voltage* 220-250V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
1 x LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE o · *or* 1 x LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE

Materiali · *Materials*
acciaio · *steel*

Peso · *Weight* 6,0 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	A0300009
nero · *black*	A0300030

p. 287



2097/30

Gino Sarfatti, 1958

Potenza · *Power* 30 x MAX 15W

Tensione · *Voltage* 220-250V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
30 LED 2,7W E14 150lm 2700K [e] cod. RF25316 DIMMABLE

Materiali · *Materials*
acciaio · *steel*

Peso · *Weight* 5,1 Kg

Finiture *Finishes*	Colori *Colors*
cromo · *chrome*	A1400057
ottone · *brass*	A1400059

p. 250



2097/30

Gino Sarfatti, 1958

Potenza · *Power* 30 x MAX 15W

Tensione · *Voltage* 220-250V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
30 LED 1,5W E14 100lm 2200K [e] cod. RF28422 DIMMABLE

Materiali · *Materials*
acciaio · *steel*

Peso · *Weight* 5,1 Kg

Finiture *Finishes*	Colori *Colors*
nero opaco · *matt black*	A1400031

p. 250



2097/50

Gino Sarfatti, 1958

Potenza · *Power* 50 x MAX 15W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
50 LED 2,7W E14 150lm 2700K [e] cod. RF25316 DIMMABLE


Materiali · *Materials*
acciaio · *steel*

Peso · *Weight* 9,2 Kg

Finiture *Finishes*	Colori *Colors*
cromo · *chrome*	A1500057
ottone · *brass*	A1500059

p. 250

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



2097/50

Gino Sarfatti, 1958

Potenza · *Power* 50 x MAX 15W

Tensione · *Voltage* 220-250V

A+ → E


Fonte luminosa (disponibile) ·
Light source (available)
50 LED 1,5W E14 100lm 2200K [e]
cod. RF28422 DIMMABLE

Materiali · *Materials*
acciaio · *steel*

Peso · *Weight* 9,2 Kg

Finiture *Finishes*	Colori *Colors*	
nero opaco · *matt black*	A1500031	

p. 250



2620

Ron Gilad, 2013

Potenza · *Power* 170W

Tensione · *Voltage* 120-277V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
2620 CHIP LED 170W 11760lm total
3000K CRI85 [i]

Materiali · *Materials*
alluminio, PMMA, acciaio · *aluminum, PMMA, steel*

Peso · *Weight* 18 Kg

Finiture *Finishes*	Colori *Colors*	
bianco · *white*	F0031009	SU RICHIESTA/ ON DEMAND

p. 247



AIM SMALL

R. & E. Bouroullec, 2014

Potenza · *Power* 12W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 Multichip LED 12W 950lm 2700K
CRI90 [i]

Materiali · *Materials*
alluminio, PC · *aluminum, PC*

Peso · *Weight* 1,9 Kg (1 Aim small)

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F0095009
nero · *black*	F0095030
marrone · *brown*	F0095026
ROSONE MULTIPLO / *MULTIPLE ROSE*	
bianco · *white*	F0093009
nero · *black*	F0093030
marrone · *brown*	F0093026
DIMMABLE PARETE / *WALL DIMMABLE*	RF22227

p. 242



AIM SMALL CAVO SPINA/CABLE+PLUG

R. & E. Bouroullec, 2014

Potenza · *Power* 12W

Tensione · *Voltage* 230V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 Multichip LED 12W 950lm 2700K
CRI90 [i]

Materiali · *Materials*
alluminio, PC · *aluminum, PC*

Peso · *Weight* 1,9 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F0097009
nero · *black*	F0097030
marrone · *brown*	F0097026

p. 242

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



AIM SMALL FIX

R. & E. Bouroullec, 2014

Potenza · *Power* 12W

Tensione · *Voltage* 220/240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 Multichip LED 12W 950lm 2700K CRI90 [i]

Materiali · *Materials*
alluminio, PC · *aluminum, PC*

Peso · *Weight* 1,9 Kg

Finiture *Finishes*
bianco · *white*
nero · *black*
marrone · *brown*

Colori *Colors*
F0098009
F0098030
F0098026

DIMMABLE PARETE / *WALL DIMMABLE*
RF22227

p. 242



AIM

R. & E. Bouroullec, 2013

Potenza · *Power* 16W

Tensione · *Voltage* 220/240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 Multichip LED 16W 895lm 2700K CRI90 [i]

Materiali · *Materials*
alluminio, PC · *aluminum, PC*

Peso · *Weight* 3,2 Kg (1 AIM)

Finiture *Finishes*
bianco · *white*
nero · *black*
marrone · *brown*

Colori *Colors*
F0090009
F0090030
F0090026

ROSONE MULTIPLO / *MULTIPLE ROSE*
bianco · *white*
nero · *black*
marrone · *brown*

F0093009
F0093030
F0093026

DIMMABLE PARETE / *WALL DIMMABLE*
RF22227

p. 242



AIM CAVO SPINA/CABLE+PLUG

R. & E. Bouroullec, 2013

Potenza · *Power* 16W

Tensione · *Voltage* 230V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 Multichip LED 16W 895lm 2700K CRI90 [i] DIMMABLE

Materiali · *Materials*
alluminio, PC · *aluminum, PC*

Peso · *Weight* 3,2 Kg

Finiture *Finishes*
bianco · *white*
nero · *black*
marrone · *brown*

Colori *Colors*
F0092009
F0092030
F0092026

p. 242



AOY

Achille Castiglioni, 1975

Potenza · *Power* 1 x MAX 100W + 1 x MAX 70W

Tensione · *Voltage* 220-250V

A+ → E
A+ → D

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE + 1 LED 8W E27 740lm 2700K [e] cod. RF25323 o · *or*
1 LED 8W E27 525lm 2700K [e] cod. RF25570 DIMMABLE

Materiali · *Materials*
vetro · *glass*


Peso · *Weight* 12,1 Kg

Finiture *Finishes*
opale · *opal*

Colori *Colors*
F0200071

p. 120

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



ARCO

Achille and Pier Giacomo Castiglioni, 1962

Potenza · *Power* MAX 100W

Tensione · *Voltage* 220-250V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
1 x 8W E27 560lm 2700K [e] cod. RF25569 DIMMABLE
Interruttore on/off · *On/off switch*

Materiali · *Materials*
marmo, acciaio inox, alluminio · *marble, stainless steel, aluminum*

Peso · *Weight* 63,8 Kg

Finiture *Finishes*	Colori *Colors*
acciaio · *steel*	F0300000

p. 150



ARCO LED

Achille and Pier Giacomo Castiglioni, 1962

Potenza · *Power* 28W

Tensione · *Voltage* 100-240V/48V

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) · *Light source (available)*
1 MULTICHIP LED 28W 1126lm 2700K CRI93 [i] DIMMABLE

Materiali · *Materials*
marmo, acciaio inox, alluminio · *marble, stainless steel, aluminum*

Peso · *Weight* 63,8 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
acciaio · *steel*	F0303000

p. 150



ARIETTE 1/2/3

Tobia Scarpa, 1973

Potenza · *Power* 4 x MAX 40W

Tensione · *Voltage* 220-250V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
4 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 4 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
tessuto · *fabric*

Peso · *Weight* 0,8 Kg (1) - 1 Kg (2) - 1,1 Kg (3)

Finiture *Finishes*	Colori *Colors*
tessuto · *fabric*	F0400009 ARIETTE 1
tessuto · *fabric*	F0500009 ARIETTE 2
tessuto · *fabric*	F0600009 ARIETTE 3

p. 297



ARRANGEMENTS - LINE

Michael Anastassiades, 2018

Potenza · *Power* 29W

Tensione · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) · *Light source (available)*
FLEX STRIP LED 29W 1480lm 2700K CRI90 [i]


Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 0,7 Kg

Finiture *Finishes*	Colori *Colors*
nero opaco · *matt black*	F0401030

p. 190

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



ARRANGEMENTS - BROKEN LINE

Michael Anastassiades, 2018

Potenza · *Power* 24W

Tensione · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
FLEX STRIP LED 24W 1200lm 2700K
CRI90 [i]

Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 0,65 Kg

Finiture
Finishes
nero opaco · *matt black*

Colori
Colors
F0405030

p. 190



ARRANGEMENTS - DROP UP

Michael Anastassiades, 2018

Potenza · *Power 32*W

Tensione · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
FLEX STRIP LED 32W 1530lm 2700K
CRI90 [i]

Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 0,5 Kg

Finiture
Finishes
nero opaco · *matt black*

Colori
Colors
F0414030

p. 190



ARRANGEMENTS - DROP DOWN

Michael Anastassiades, 2018

Potenza · *Power* 30W

Tensione · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
FLEX STRIP LED 30W 1530lm 2700K
CRI90 [i]

Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 0,5 Kg

Finiture
Finishes
nero opaco · *matt black*

Colori
Colors
F0413030

p. 190



ARRANGEMENTS - SQUARE SMALL

Michael Anastassiades, 2018

Potenza · *Power* 20W

Tensione · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
FLEX STRIP LED 20W 883lm 2700K
CRI90 [i]

Materiali · *Materials*
alluminio · *aluminum*


Peso · *Weight* 0,5 Kg

Finiture
Finishes
nero opaco · *matt black*

Colori
Colors
F0410030

p. 190

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



ARRANGEMENTS - SQUARE LARGE

Michael Anastassiades, 2018

Potenza · *Power* 34W

Tensione · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
FLEX STRIP LED 34W 1657lm 2700K
CRI90 [i]

Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 0,7 Kg

Finiture
Finishes
nero opaco · *matt black*

Colori
Colors
F0409030

p. 190



ARRANGEMENTS - ROUND SMALL

Michael Anastassiades, 2018

Potenza · *Power* 21W

Tensione · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
FLEX STRIP LED 21W 1068lm 2700K
CRI90 [i]

Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 0,5 Kg

Finiture
Finishes
nero opaco · *matt black*

Colori
Colors
F0406030

p. 190



ARRANGEMENTS - ROUND MEDIUM

Michael Anastassiades, 2018

Potenza · *Power* 35W

Tensione · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
FLEX STRIP LED 35W 1770lm 2700K
CRI90 [i]

Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 0,8 Kg

Finiture
Finishes
nero opaco · *matt black*

Colori
Colors
F0407030

p. 190



ARRANGEMENTS - ROUND LARGE

Michael Anastassiades, 2018

Potenza · *Power* 54W

Tensione · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
FLEX STRIP LED 54W 2751lm 2700K
CRI90 [i]

Materiali · *Materials*
alluminio · *aluminum*


Peso · *Weight* 1,3 Kg

Finiture
Finishes
nero opaco · *matt black*

Colori
Colors
F0408030

p. 190

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



ARRANGEMENTS SMALL ROSE


ACCESSORI · ACCESSORIES

Tensione · *Voltage* 120-270V

Descrizione · *Description*
Rosone dimmerabile piccolo da soffitto per l'installazione di combinazioni fino a max 70W · *Small dimmable ceiling rose for the installation of combinations within max 70W*

Peso · *Weight* 1 Kg

Finiture *Finishes*	Colori *Colors*
nero · *black*	F0416030



ARRANGEMENTS BIG ROSE


ACCESSORI · ACCESSORIES

Tensione · *Voltage* 100-240V

Descrizione · *Description*
Rosone dimmerabile grande da soffitto per l'installazione di combinazioni fino a max 190W · *Big dimmable ceiling rose for the installation of combinations within max 190W*

Peso · *Weight* 2,8 Kg

Finiture *Finishes*	Colori *Colors*
nero · *black*	F0415030



ARRANGEMENTS RECESSED ROSE

ACCESSORI · ACCESSORIES

Tensione · *Voltage* 48V

Descrizione · *Description*
Rosone da soffitto con alimentazione remota per l'installazione di combinazioni fino a max 190W · *Ceiling rose with remote power supply for the installation of combinations within max 190W*

Peso · *Weight* 0,6 Kg

Finiture *Finishes*	Colori *Colors*
nero · *black*	F0418030



BELLHOP BATTERY

E. Barber & J. Osgerby, 2018

Potenza · *Power* 2,5W

Tensione · *Voltage* IN 5V

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1060009
cioko · *cioko*	F1060026
grigio · *grey*	F1060020
rosso mattone · *brick red*	F1060075

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) · *Light source (available)*
LED 2,5W 250lm 2700K CRI90 [i]
6/24 HOURS BATTERY LIFE, RECHARGEABLE WITH MICRO-USB-C KIT

Materiali · *Materials*
policarbonato · *polycarbonate*

Peso · *Weight* 0,73 Kg DIMMER INCLUDED

p. 52

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



BELLHOP WALL OUTDOOR/INDOOR

E. Barber & J. Osgerby, 2018

Potenza · *Power* 8W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 551 lm 2700K CRI80 [i]


Materiali · *Materials*
alluminio, acciaio inox · *aluminium, stainless steel*

Peso · *Weight* 0,80 Kg

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Finiture *Finishes*	Colori *Colors*
antracite · *anthracite*	F003C21A033
nero · *black*	F003C21A030
deep brown · *deep brown*	F003C21A018
grigio · *grey*	F003C21A006
acciaio inox · *stainless steel*	F003C21A005
bianco · *white*	F003C21A001

CE IP 65



BELLHOP WALL OUTDOOR/INDOOR

E. Barber & J. Osgerby, 2018

Potenza · *Power* 8W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 580 lm 3000K CRI80 [i]


Materiali · *Materials*
alluminio, acciaio inox · *aluminium, stainless steel*

Peso · *Weight* 0,80 Kg

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Finiture *Finishes*	Colori *Colors*
antracite · *anthracite*	F003C31A033
nero · *black*	F003C31A030
deep brown · *deep brown*	F003C31A018
grigio · *grey*	F003C31A006
acciaio inox · *stainless steel*	F003C31A005
bianco · *white*	F003C31A001

CE IP 65



BELLHOP WALL OUTDOOR/INDOOR

E. Barber & J. Osgerby, 2018

Potenza · *Power* 8W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 607 lm 4000K CRI80 [i]

Materiali · *Materials*
alluminio, acciaio inox · *aluminium, stainless steel*

Peso · *Weight* 0,80 Kg

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Finiture *Finishes*	Colori *Colors*
antracite · *anthracite*	F003C41A033
nero · *black*	F003C41A030
deep brown · *deep brown*	F003C41A018
grigio · *grey*	F003C41A006
acciaio inox · *stainless steel*	F003C41A005
bianco · *white*	F003C41A001

CE IP 65



BIAGIO

Tobia Scarpa, 1968

Potenza · *Power* MAX 70W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
marmo · *marble*


Peso · *Weight* 7,5 Kg

Finiture *Finishes*	Colori *Colors*
marmo · *marble*	F0700000

CE IP 20

p. 114

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



BIBLIOTHEQUE NATIONALE

Philippe Starck, 2013

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 21W E27 2452lm 3000K [e]
cod. RF26998 DIMMABLE + CHARGER USB 5VDC

Materiali · *Materials*
PC, acciaio inox, metacrilato · *PC, stainless steel, methacrylate*

Peso · *Weight* 10,3 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
trasparente · *transparent*	F1011000
argento · *silver*	F1011004
bronzo · *bronze*	F1011046
tessuto · *fabric*	F1011007
fumè · *fumée*	F1011030

p. 170



BON JOUR

Philippe Starck, 2015

Potenza · *Power* 13W

Tensione · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) · *Light source (available)*
EDGE LIGHTING 13W 884lm 2700K CRI90 [i] DIMMABLE

Materiali · *Materials*
polimetilmetacrilato · polymethyl*methacrylate*

Peso · *Weight* 2,0 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1032009
cromo · *chrome*	F1032057
rame · *copper*	F1032015
cromo opaco · *matt chrome*	F1032046

p. 68



BON JOUR
ACCESSORI · ACCESSORIES

Descrizione · *Description*
Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · *Crown in transparent injection-printed PMMA or in hand-woven fabric or rafia, for customised versions.*

Finiture *Finishes*	Colori *Colors*
giallo · *yellow*	F1033019
ambra · *amber*	F1033070
rafia · *rattan*	F1033088
tessuto · *fabric*	F1033007
trasparente · *transparent*	F1033000
fumè · *fumée*	F1033030



BON JOUR UNPLUGGED

Philippe Starck, 2015

Potenza · *Power* 2,5W

Tensione · *Voltage* 100-240V/5V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) · *Light source (available)*
EDGE LIGHTING 2,5W 136lm 2700K CRI 90 [i] DIMMABLE
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT

Materiali · *Materials*
alluminio, ABS, PMMA · *aluminum, ABS, PMMA*

Peso · *Weight* 0,6 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1037009
cromo · *chrome*	F1037057
rame · *copper*	F1037015
cromo opaco · *matt chrome*	F1037046

p. 72

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



BON JOUR UNPLUGGED
ACCESSORI · ACCESSORIES

Descrizione · *Description*
Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · *Crown in transparent injection-printed PMMA or in hand-woven fabric or rafia, for customised versions.*

Finiture *Finishes*	Colori *Colors*
giallo · *yellow*	F1036019
ambra · *amber*	F1036070
rafia · *rattan*	F1036088
tessuto · *fabric*	F1036007
trasparente · *transparent*	F1036000
fumè · *fumée*	F1036030
rosso · *red*	F1036035



BON JOUR VERSAILLES

Philippe Starck, 2017

Potenza · *Power* 13W

Tensione · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) ·
Light source (available)
EDGE LIGHTING 13W 811lm 2700K
CRI90 [i] DIMMABLE

Finiture *Finishes*	Colori *Colors*
cromo · *chrome*	F1041057
rame · *copper*	F1041015

Materiali · *Materials*
polimetilmetacrilato · polymethyl*methacrylate*

p. 64

Peso · *Weight* 1,54 Kg DIMMER INCLUDED



BON JOUR VERSAILLES
ACCESSORI · ACCESSORIES

Descrizione · *Description*
Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · *Crown in transparent injection-printed PMMA or in hand-woven fabric or rafia, for customised versions.*

Finiture *Finishes*	Colori *Colors*
giallo · *yellow*	F1033019
ambra · *amber*	F1033070
rafia · *rattan*	F1033088
tessuto · *fabric*	F1033007
trasparente · *transparent*	F1033000
fumè · *fumée*	F1033030



BON JOUR VERSAILLES SMALL

Philippe Starck, 2017

Potenza · *Power* 3,5W

Tensione · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
EDGE LIGHTING 2,5W 136lm 2700K
CRI 90 [i] DIMMABLE


Finiture *Finishes*	Colori *Colors*
cromo · *chrome*	F1042057
rame · *copper*	F1042015

Materiali · *Materials*
polimetilmetacrilato · polymethyl*methacrylate*

p. 64

Peso · *Weight* 0,28 Kg DIMMER INCLUDED

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



BON JOUR VERSAILLES SMALL
ACCESSORI · ACCESSORIES

Descrizione · *Description*
Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · *Crown in transparent injection-printed PMMA or in hand-woven fabric or rafia, for customised versions.*

Finiture *Finishes*	Colori *Colors*
giallo · *yellow*	F1036019
ambra · *amber*	F1036070
rafia · *rattan*	F1036088
tessuto · *fabric*	F1036007
trasparente · *transparent*	F1036000
fumè · *fumée*	F1036030
rosso · *red*	F1036035



MINI BUTTON

Piero Lissoni, 2005

Potenza · *Power* MAX 25W

Tensione · *Voltage* 220-250V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
1 LED 3W G9 290lm 2700K* [e] cod. 28425 o · *or* 1 LED 2W G9 240lm 2700K* [e] cod. RF26520

Materiali · *Materials*
policarbonato o vetro · *polycarbonate or glass*

Peso · *Weight* 0,3 Kg (pol.) - 0,6 Kg (vetro/glass)

Finiture *Finishes*	Colori *Colors*
policarbonato · *polycarbonate*	F1491009
vetro · *glass*	F1490009

p. 306



BUTTON

Piero Lissoni, 2004

Potenza · *Power* 22W + 40W

Tensione · *Voltage* 220-240V

A


Fonte luminosa (disponibile) · *Light source (available)*
1 x 22W 2GX13 T5 FSC 1800lm warm white [e] cod. RF11177 + 1 x 40W 2GX13 T5 FSC 3400lm warm white [e] cod. RF11178
Ballast elettronico · *Electronic Ballast*

Materiali · *Materials*
policarbonato · *polycarbonate*

Peso · *Weight* 2,1 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F3180009

p. 307



BUTTON HL

Piero Lissoni, 2005

Potenza · *Power* 5 x MAX 40W

Tensione · *Voltage* 220-250V

A++ → E

Fonte luminosa (disponibile) · *Light source (available)*
5 LED 3W G9 290lm 2700K* [e] cod. 28425 o · *or* 5 LED 2W G9 240lm 2700K* [e] cod. RF26520

Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 13,5 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F3190009

p. 307

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*

32/35 mm



ø 140 mm

CAMOUFLAGE 140 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 8W

Tensione · *Voltage* 24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 8W 786lm ≠ FIXT 474lm 2700K CRI80 24V [i]

Materiali · *Materials*
alluminio, policarbonato, pietra, cemento · *aluminum, polycarbonate, stone, concrete*

Peso · *Weight* 0,45 Kg

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Finiture *Finishes*	Colori *Colors*
cemento · *concrete*	F1310089
crema d'Orcia · *crema d'Orcia*	F1310090
Basaltina · *Basaltina*	F1310087
primer · *primer*	F1310000
bianco · *white*	F1310001
grigio · *grey*	F1310006
antracite · *anthracite*	F1310033
nero · *black*	F1310030
deep brown · *deep brown*	F1310018

p. 278

32/35 mm



ø 140 mm

CAMOUFLAGE 140 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 8W

Tensione · *Voltage* 24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 8W 913lm ≠ FIXT 551lm 3000K CRI80 24V [i]

Materiali · *Materials*
alluminio, policarbonato, pietra, cemento · *aluminum, polycarbonate, stone, concrete*

Peso · *Weight* 0,45 Kg

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Finiture *Finishes*	Colori *Colors*
cemento · *concrete*	F1311089
crema d'Orcia · *crema d'Orcia*	F1311090
Basaltina · *Basaltina*	F1311087
primer · *primer*	F1311000
bianco · *white*	F1311001
grigio · *grey*	F1311006
antracite · *anthracite*	F1311033
nero · *black*	F1311030
deep brown · *deep brown*	F1311018

p. 278

32/35 mm



ø 140 mm

CAMOUFLAGE 140 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 8W

Tensione · *Voltage* 24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 8W 960lm ≠ FIXT 579lm 4000K CRI80 24V [i]

Materiali · *Materials*
alluminio, policarbonato, pietra, cemento · *aluminum, polycarbonate, stone, concrete*

Peso · *Weight* 0,45 Kg

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Finiture *Finishes*	Colori *Colors*
cemento · *concrete*	F1312089
crema d'Orcia · *crema d'Orcia*	F1312090
Basaltina · *Basaltina*	F1312087
primer · *primer*	F1312000
bianco · *white*	F1312001
grigio · *grey*	F1312006
antracite · *anthracite*	F1312033
nero · *black*	F1312030
deep brown · *deep brown*	F1312018

p. 278

42/48 mm



ø 240 mm

CAMOUFLAGE 240 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 12W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 12W 1281lm ≠ FIXT 773lm 2700K CRI80 220-240V [i]

Materiali · *Materials*
alluminio, policarbonato, pietra, cemento · *aluminum, polycarbonate, stone, concrete*


Peso · *Weight* 1,50 Kg

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Finiture *Finishes*	Colori *Colors*
cemento · *concrete*	F1315089
crema d'Orcia · *crema d'Orcia*	F1315090
Basaltina · *Basaltina*	F1315087
primer · *primer*	F1315000
bianco · *white*	F1315001
grigio · *grey*	F1315006
antracite · *anthracite*	F1315033
nero · *black*	F1315030
deep brown · *deep brown*	F1315018

p. 278

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



CAMOUFLAGE 240 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 12W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 12W 1488lm ≠ FIXT 898lm 3000K CRI80 220-240V [i]


Materiali · *Materials*
alluminio, policarbonato, pietra, cemento · *aluminum, polycarbonate, stone, concrete*

Peso · *Weight* 1,50 Kg

Finiture *Finishes*	Colori *Colors*
cemento · *concrete*	F1316089
crema d'Orcia · *crema d'Orcia*	F1316090
Basaltina · *Basaltina*	F1316087
primer · *primer*	F1316000
bianco · *white*	F1316001
grigio · *grey*	F1316006
antracite · *anthracite*	F1316033
nero · *black*	F1316030
deep brown · *deep brown*	F1316018

p. 278

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*



CAMOUFLAGE 240 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 12W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 12W 1563lm ≠ FIXT 944lm 4000K CRI80 220-240V [i]

Materiali · *Materials*
alluminio, policarbonato, pietra, cemento · *aluminum, polycarbonate, stone, concrete*

Peso · *Weight* 1,50 Kg

Finiture *Finishes*	Colori *Colors*
cemento · *concrete*	F1317089
crema d'Orcia · *crema d'Orcia*	F1317090
Basaltina · *Basaltina*	F1317087
primer · *primer*	F1317000
bianco · *white*	F1317001
grigio · *grey*	F1317006
antracite · *anthracite*	F1317033
nero · *black*	F1317030
deep brown · *deep brown*	F1317018

p. 278

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*



CAPTAIN FLINT

Michael Anastassiades, 2015

Potenza · *Power* 20W

Tensione · *Voltage* 100-240V/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 COB LED 20W 557lm 2700K CRI93
[i] DIMMABLE

Materiali · *Materials*
acciaio, policarbonato, marmo · *steel, polycarbonate, marble*

Peso · *Weight* 9 Kg

DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
ottone spazzolato · *brushed brass*	F1530059
antracite · *anthracite*	F1530030

p. 157



CAPTAIN FLINT OUTDOOR/INDOOR

Michael Anastassiades, 2019

Potenza · *Power* 20W

Tensione · *Voltage* 230-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 COB LED 20W 557lm 2700K CRI80
[i] DIMMABLE

Materiali · *Materials*
acciaio, policarbonato, alluminio, ottone, marmo · *steel, polycarbonate, aluminium, brass, marble*


Peso · *Weight* 10 Kg

DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
acciaio inox · *stainless steel* (occhio di pernice marble)	F011A24F005
ottone · *brass* (grey lava marble)	F011A23F059
deep brown · *deep brown* (travertino imperiale marble)	F011A21F018
nero · *black* (black lava marble)	F011A22F030

p. 156

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



CAPTAIN FLINT OUTDOOR/INDOOR

Michael Anastassiades, 2019

Potenza · *Power* 20W

Tensione · *Voltage* 230-240V

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) ·
Light source (available)
1 COB LED 20W 557lm 3000K CRI80
[i] DIMMABLE

Materiali · *Materials*
acciaio, policarbonato, alluminio, ottone, marmo ·
steel, polycarbonate, aluminium, brass, marble

Peso · *Weight* 10 Kg

Finiture *Finishes*	Colori *Colors*
acciaio inox · *stainless steel* (occhio di pernice marble)	F011A34F005
ottone · *brass* (grey lava marble)	F011A33F059
deep brown · *deep brown* (travertino imperiale marble)	F011A31F018
nero · *black* (black lava marble)	F011A32F030

p. 156



CAPTAIN FLINT OUTDOOR/INDOOR

Michael Anastassiades, 2019

Potenza · *Power* 20W

Tensione · *Voltage* 230-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 COB LED 20W 557lm 4000K CRI80
[i] DIMMABLE

Materiali · *Materials*
acciaio, policarbonato, alluminio, ottone, marmo ·
steel, polycarbonate, aluminium, brass, marble

Peso · *Weight* 10 Kg

Finiture *Finishes*	Colori *Colors*
acciaio inox · *stainless steel* (occhio di pernice marble)	F011A44F005
ottone · *brass* (grey lava marble)	F011A43F059
deep brown · *deep brown* (travertino imperiale marble)	F011A41F018
nero · *black* (black lava marble)	F011A42F030

p. 156



CHASEN

Patricia Urquiola, 2007

Potenza · *Power* 120W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 x MAX 120W E27 PAR38 872lm
2700K [i] cod. RF24480 DIMMABLE

Materiali · *Materials*
acciaio inox, alluminio, vetro · *stainless steel, aluminum, glass*

Peso · *Weight* 6,5 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1636009
nero · *black*	F1636030

p. 240



CHRYSALIS

Marcel Wanders, 2011

Potenza · *Power* 1 x MAX 65W + 1 x 80W

Tensione · *Voltage* 230-240V

A+ → B
A

Fonte luminosa (disponibile) ·
Light source (available)
1 x 60W GY 6 12V HSGS 1650lm
2700K [i] cod. RF19578 + 1 x 80W G5
T5 6450lm 2700K [i] cod. RF20767

Materiali · *Materials*
Cocoon, vetro, acciaio · *Cocoon, glass, steel*

Peso · *Weight* 13,5 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1670009

p. 167

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



CLARA

Piero Lissoni, 2014

Potenza · *Power* 57W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
TOP LED 57W 3141lm 2700K CRI>90
[i] DIMMABLE

Materiali · *Materials*
policarbonato · *polycarbonate*

Peso · *Weight* 3 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1570009
FINITURE FREGIO / *FRIEZE FINISHES*	
cromo · *chrome*	F1571057
rame · *copper*	F1571015
trasparente · *transparent*	F1571000
fumè · *fumée*	F1571030A

p. 292

IP 40



CLESSIDRA OUTDOOR/INDOOR

Antonio Citterio, 2011

Potenza · *Power* 10W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
2 LED 10W 637lm 3000K CRI80 [i]

Materiali · *Materials*
alluminio, PMMA · *aluminum, PMMA*

Peso · *Weight* 1,1 Kg

Finiture *Finishes*	Colori *Colors*
grigio · *grey*	F1583006 20°+20° OUTDOOR
deep brown · *deep brown*	F1583018 20°+20° OUTDOOR
grigio · *grey*	F1584006 40°+40° OUTDOOR
deep brown · *deep brown*	F1584018 40°+40° OUTDOOR

p. 280

IP 55



CLESSIDRA INDOOR

Antonio Citterio, 2011

Potenza · *Power* 10W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
2 LED 10W 637lm 3000K CRI80 [i]

Materiali · *Materials*
alluminio, PMMA · *aluminum, PMMA*

Peso · *Weight* 1,1 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1583009 20°+20°
cromo · *chrome*	F1583057 20°+20°
bianco · *white*	F1584009 40°+40°
cromo · *chrome*	F1584057 40°+40°

p. 280

IP 55



CLIMBER DOWN 87 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 7W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 7W 432lm ≠ FIXT 387lm
2700K CRI80 110/240V [i]
(FIXT lm = Spot Optic)

Materiali · *Materials*
alluminio, vetro · *aluminum, glass*

Peso · *Weight* 1,17 Kg


Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1110001 SPOT 14°
grigio · *grey*	F1110006 SPOT 14°
antracite · *anthracite*	F1110033 SPOT 14°
nero · *black*	F1110030 SPOT 14°
deep brown · *deep brown*	F1110018 SPOT 14°
bianco · *white*	F1111001 FLOOD 73°
grigio · *grey*	F1111006 FLOOD 73°
antracite · *anthracite*	F1111033 FLOOD 73°
nero · *black*	F1111030 FLOOD 73°
deep brown · *deep brown*	F1111018 FLOOD 73°

p. 276

IP 65

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



CLIMBER DOWN 87 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 7W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 7W 468lm ≠ FIXT 419lm
3000K CRI80 110/240V [i]
(FIXT lm = Spot Optic)

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1112001 SPOT 14°
grigio · *grey*	F1112006 SPOT 14°
antracite · *anthracite*	F1112033 SPOT 14°
nero · *black*	F1112030 SPOT 14°
deep brown · *deep brown*	F1112018 SPOT 14°
bianco · *white*	F1113001 FLOOD 73°
grigio · *grey*	F1113006 FLOOD 73°
antracite · *anthracite*	F1113033 FLOOD 73°
nero · *black*	F1113030 FLOOD 73°
deep brown · *deep brown*	F1113018 FLOOD 73°

Materiali · *Materials*
alluminio, vetro · *aluminum, glass*

p. 276

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 1,17 Kg

IP 65



CLIMBER DOWN 87

Piero Lissoni, 2017

Potenza · *Power* 7W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 7W 504lm ≠ FIXT 451lm
4000K CRI80 110/240V [i]
(FIXT lm = Spot Optic)

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1114001 SPOT 14°
grigio · *grey*	F1114006 SPOT 14°
antracite · *anthracite*	F1114033 SPOT 14°
nero · *black*	F1114030 SPOT 14°
deep brown · *deep brown*	F1114018 SPOT 14°
bianco · *white*	F1115001 FLOOD 73°
grigio · *grey*	F1115006 FLOOD 73°
antracite · *anthracite*	F1115033 FLOOD 73°
nero · *black*	F1115030 FLOOD 73°
deep brown · *deep brown*	F1115018 FLOOD 73°


Materiali · *Materials*
alluminio, vetro · *aluminum, glass*

p. 276

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 1,17 Kg

IP 65



CLIMBER DOWN 175

Piero Lissoni, 2017

Potenza · *Power* 12W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 12W 864lm ≠ FIXT 721lm
2700K CRI80 110/240V [i]
(FIXT lm = Spot Optic)

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1140001 SPOT 16°
grigio · *grey*	F1140006 SPOT 16°
antracite · *anthracite*	F1140033 SPOT 16°
nero · *black*	F1140030 SPOT 16°
deep brown · *deep brown*	F1140018 SPOT 16°
bianco · *white*	F1141001 FLOOD 72°
grigio · *grey*	F1141006 FLOOD 72°
antracite · *anthracite*	F1141033 FLOOD 72°
nero · *black*	F1141030 FLOOD 72°
deep brown · *deep brown*	F1141018 FLOOD 72°


Materiali · *Materials*
alluminio, vetro · *aluminum, glass*

p. 276

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 2,13 Kg

IP 65



CLIMBER DOWN 175

Piero Lissoni, 2017

Potenza · *Power* 12W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 12W 936lm ≠ FIXT 781lm
3000K CRI80 110/240V [i]
(FIXT lm = Spot Optic)

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1142001 SPOT 16°
grigio · *grey*	F1142006 SPOT 16°
antracite · *anthracite*	F1142033 SPOT 16°
nero · *black*	F1142030 SPOT 16°
deep brown · *deep brown*	F1142018 SPOT 16°
bianco · *white*	F1143001 FLOOD 72°
grigio · *grey*	F1143006 FLOOD 72°
antracite · *anthracite*	F1143033 FLOOD 72°
nero · *black*	F1143030 FLOOD 72°
deep brown · *deep brown*	F1143018 FLOOD 72°

Materiali · *Materials*
alluminio, vetro · *aluminum, glass*

p. 276


per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 2,13 Kg

IP 65

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*

CLIMBER DOWN 175



Piero Lissoni, 2017

Potenza · *Power* 12W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 12W 1008lm ≠ FIXT 841lm 4000K CRI80 110/240V [i]
(FIXT lm = Spot Optic)

Materiali · *Materials*
alluminio, vetro · *aluminum, glass*

Peso · *Weight* 2,13 Kg


Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1144001 SPOT 16°
grigio · *grey*	F1144006 SPOT 16°
antracite · *anthracite*	F1144033 SPOT 16°
nero · *black*	F1144030 SPOT 16°
deep brown · *deep brown*	F1144018 SPOT 16°
bianco · *white*	F1145001 FLOOD 72°
grigio · *grey*	F1145006 FLOOD 72°
antracite · *anthracite*	F1145033 FLOOD 72°
nero · *black*	F1145030 FLOOD 72°
deep brown · *deep brown*	F1145018 FLOOD 72°

p. 276

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

IP 65

CLIMBER UP & DOWN 87



Piero Lissoni, 2017

Potenza · *Power* 12W

Tensione · *Voltage* 110-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 12W 2x432lm ≠ FIXT 2x392lm 2700K CRI80 110/240V [i]
(FIXT lm = Spot Opticc)

Materiali · *Materials*
alluminio, vetro · *aluminum, glass*

Peso · *Weight* 1,25 Kg


Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1116001 SPOT 14°
grigio · *grey*	F1116006 SPOT 14°
antracite · *anthracite*	F1116033 SPOT 14°
nero · *black*	F1116030 SPOT 14°
deep brown · *deep brown*	F1116018 SPOT 14°
bianco · *white*	F1117001 FLOOD 73°
grigio · *grey*	F1117006 FLOOD 73°
antracite · *anthracite*	F1117033 FLOOD 73°
nero · *black*	F1117030 FLOOD 73°
deep brown · *deep brown*	F1117018 FLOOD 70°

p. 276

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

IP 65

CLIMBER UP & DOWN 87



Piero Lissoni, 2017

Potenza · *Power* 12W

Tensione · *Voltage* 110-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 12W 2x468lm ≠ FIXT 2x425lm 3000K CRI80 110/240V [i]
(FIXT lm = Spot Optic)

Materiali · *Materials*
alluminio, vetro · *aluminum, glass*

Peso · *Weight* 1,25 Kg


Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1118001 SPOT 14°
grigio · *grey*	F1118006 SPOT 14°
antracite · *anthracite*	F1118033 SPOT 14°
nero · *black*	F1118030 SPOT 14°
deep brown · *deep brown*	F1118018 SPOT 14°
bianco · *white*	F1119001 FLOOD 73°
grigio · *grey*	F1119006 FLOOD 73°
antracite · *anthracite*	F1119033 FLOOD 73°
nero · *black*	F1119030 FLOOD 73°
deep brown · *deep brown*	F1119018 FLOOD 73°

p. 276

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

IP 65

CLIMBER UP & DOWN 87



Piero Lissoni, 2017

Potenza · *Power* 12W

Tensione · *Voltage* 110-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 12W 2x504lm ≠ FIXT 2x458lm 4000K CRI80 110/240V [i]
(FIXT lm = Spot Optic)

Materiali · *Materials*
alluminio, vetro · *aluminum, glass*

Peso · *Weight* 1,25 Kg


Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1120001 SPOT 14°
grigio · *grey*	F1120006 SPOT 14°
antracite · *anthracite*	F1120033 SPOT 14°
nero · *black*	F1120030 SPOT 14°
deep brown · *deep brown*	F1120018 SPOT 14°
bianco · *white*	F1121001 FLOOD 73°
grigio · *grey*	F1121006 FLOOD 73°
antracite · *anthracite*	F1121033 FLOOD 73°
nero · *black*	F1121030 FLOOD 73°
deep brown · *deep brown*	F1121018 FLOOD 73°

p. 276

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

IP 65

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



CLIMBER UP & DOWN 175

Piero Lissoni, 2017

Potenza · *Power* 21W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 21W 2x864lm ≠ FIXT 2x739lm 2700K CRI80 220/240V [i]
(FIXT lm = Spot Optic)

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1146001 SPOT 16°
grigio · *grey*	F1146006 SPOT 16°
antracite · *anthracite*	F1146033 SPOT 16°
nero · *black*	F1146030 SPOT 16°
deep brown · *deep brown*	F1146018 SPOT 16°
bianco · *white*	F1147001 FLOOD 72°
grigio · *grey*	F1147006 FLOOD 72°
antracite · *anthracite*	F1147033 FLOOD 72°
nero · *black*	F1147030 FLOOD 72°
deep brown · *deep brown*	F1147018 FLOOD 72°


Materiali · *Materials*
alluminio, vetro · *aluminum, glass*

p. 276

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 2,20 Kg

IP 65



CLIMBER UP & DOWN 175

Piero Lissoni, 2017

Potenza · *Power* 21W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 21W 2x936lm ≠ FIXT 2x800lm 3000K CRI80 220/240V [i]
(FIXT lm = Spot Optic)

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1148001 SPOT 16°
grigio · *grey*	F1148006 SPOT 16°
antracite · *anthracite*	F1148033 SPOT 16°
nero · *black*	F1148030 SPOT 16°
deep brown · *deep brown*	F1148018 SPOT 16°
bianco · *white*	F1149001 FLOOD 72°
grigio · *grey*	F1149006 FLOOD 72°
antracite · *anthracite*	F1149033 FLOOD 72°
nero · *black*	F1149030 FLOOD 72°
deep brown · *deep brown*	F1149018 FLOOD 72°


Materiali · *Materials*
alluminio, vetro · *aluminum, glass*

p. 276

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 2,20 Kg

IP 65



CLIMBER UP & DOWN 175

Piero Lissoni, 2017

Potenza · *Power* 21W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 21W 2x1008lm ≠ FIXT 2x862lm 4000K CRI80 220/240V [i]
(FIXT lm = Spot Optic)

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F1150001 SPOT 16°
grigio · *grey*	F1150006 SPOT 16°
antracite · *anthracite*	F1150033 SPOT 16°
nero · *black*	F1150030 SPOT 16°
deep brown · *deep brown*	F1150018 SPOT 16°
bianco · *white*	F1151001 FLOOD 72°
grigio · *grey*	F1151006 FLOOD 72°
antracite · *anthracite*	F1151033 FLOOD 72°
nero · *black*	F1151030 FLOOD 72°
deep brown · *deep brown*	F1151018 FLOOD 72°


Materiali · *Materials*
alluminio, vetro · *aluminum, glass*

p. 276

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 2,20 Kg

IP 65



COPYCAT

Michael Anastassiades, 2015

Potenza · *Power* 16W

Tensione · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 COB LED 16W 900lm total 2700K CRI83 [i] DIMMABLE

Finiture *Finishes*	Colori *Colors*
oro 24K · *24K gold*	F1952044
rame · *copper*	F1952015
nero · *black*	F1952030
alluminio · *aluminum*	F1952050

Materiali · *Materials*
alluminio, vetro soffiato · *aluminum, blown glass*

p. 81

Peso · *Weight* 3,6 Kg

IP 20 PENDING

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



FANTASMA

Tobia Scarpa, 1961

Potenza · *Power* 4 x MAX 60W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
4 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 4 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
Cocoon, acciaio · *Cocoon, steel*

Peso · *Weight* 10,5 Kg DIMMER INCLUDED

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F2201009

p. 166



FANTASMA PICCOLO

Tobia Scarpa, 1961

Potenza · *Power* 3 x MAX 60W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
3 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 3 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE


Materiali · *Materials*
Cocoon, acciaio · *Cocoon, steel*

Peso · *Weight* 10 Kg DIMMER INCLUDED

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F2101009

p. 166



FOGLIO

Tobia Scarpa, 1966

Potenza · *Power* 2 x MAX 100W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
2 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 2 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
acciaio · *steel*

Peso · *Weight* 3,7 Kg

Finiture *Finishes*: bianco · *white*; nero · *black*; cromo · *chrome*

Colori *Colors*: F2400009; F2400030; F2400057

p. 308



FRISBI

Achille Castiglioni, 1978

Potenza · *Power* 1 x MAX 105W

Tensione · *Voltage* 220-250V

A++ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 740lm 2700K [e] cod. RF25314

Materiali · *Materials*
polimetilmetacrilato, acciaio · *polymethylmethacrylate, steel*

Peso · *Weight* 2,7 Kg

Finiture *Finishes*: cromo · *chrome*

Colori *Colors*: F2500000

p. 250

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



FUCSIA 1

Achille Castiglioni, 1996

Potenza · *Power* MAX 40W

Tensione · *Voltage* 220-250V

Finiture *Finishes*: vetro · *glass*

Colori *Colors*: F2410000

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 4W E14 360lm 2700K* [e] cod. RF25318

Materiali · *Materials*
vetro, acciaio · *glass, steel*

p. 224

Peso · *Weight* 1 Kg



FUCSIA 3

Achille Castiglioni, 1996

Potenza · *Power* 3 x MAX 40W

Tensione · *Voltage* 220-250V

Finiture *Finishes*: vetro · *glass*

Colori *Colors*: F2411000


A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
3 LED 4W E14 360lm 2700K* [e] cod. RF25318

Materiali · *Materials*
vetro, acciaio · *glass, steel*

p. 224

Peso · *Weight* 2,5 Kg



FUCSIA 8

Achille Castiglioni, 1996

Potenza · *Power* 8 x MAX 40W

Tensione · *Voltage* 220-250V

Finiture *Finishes*: vetro · *glass*

Colori *Colors*: F2412000


A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
8 LED 4W E14 360lm 2700K* [e] cod. RF25318

Materiali · *Materials*
vetro, acciaio · *glass, steel*

p. 224

Peso · *Weight* 8,9 Kg



FUCSIA 12

Achille Castiglioni, 1996

Potenza · *Power* 12 x MAX 40W

Tensione · *Voltage* 220-250V

Finiture *Finishes*: vetro · *glass*

Colori *Colors*: F2413000

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
12 x LED 4W E14 360lm 2700K* [e] cod. RF25318

Materiali · *Materials*
vetro, acciaio · *glass, steel*

p. 224

Peso · *Weight* 14,3 Kg

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



GAKU WIRELESS

Nendo, 2018

Potenza · *Power* 2W

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) ·
Light source (available)
LED Array 2W 120lm 2700K
CRI 90 [i] DIMMABLE
WIRELESS CHARGING

Materiali · *Materials*
legno frassino, policarbonato · *ash wood, polycarbonate*

Peso · *Weight* 2,5 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	○ F2520009
nero · *black*	● F2520030

p. 56



GAKU WIRE

Nendo, 2018

Potenza · *Power* 5W

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED Array 5,5W 100lm 2700K
CRI 90 [i] DIMMABLE

Materiali · *Materials*
legno d'acero, policarbonato · *ash wood, polycarbonate*

Peso · *Weight* 2,4 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	○ F2521009
nero · *black*	● F2521030

p. 56



GAKU ACCESSORIES BOWL

Materiali · *Materials*
policarbonato · *polycarbonate*

Finiture *Finishes*	Colori *Colors*
bianco · *white*	○ F2522009
nero · *black*	● F2522030




GAKU ACCESSORIES VASE

Materiali · *Materials*
policarbonato · *polycarbonate*

Finiture *Finishes*	Colori *Colors*
bianco · *white*	○ F2523009
nero · *black*	● F2523030

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*

GAKU ACCESSORIES KEY BOWL



Finiture
Finishes

bianco · *white*
nero · *black*

Colori
Colors

○ F2524009
● F2524030

Materiali · *Materials*
policarbonato · *polycarbonate*

GAKU ACCESSORIES BOOKEND



Finiture
Finishes

bianco · *white*
nero · *black*

Colori
Colors

○ F2525009
● F2525030

Materiali · *Materials*
policarbonato · *polycarbonate*

GAKU ACCESSORIES MIRROR



Finiture
Finishes

bianco · *white*
nero · *black*

Colori
Colors

○ F2526009
● F2526030

Materiali · *Materials*
policarbonato · *polycarbonate*

GATTO



Achille and Pier Giacomo Castiglioni, 1960

Potenza · *Power* MAX 60W

Tensione · *Voltage* 220-240V

Finiture
Finishes

bianco · *white*

Colori
Colors

○ F2601009

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
cocoon, acciaio · *cocoon, steel*

p. 90

Peso · *Weight* 2,3 Kg DIMMER INCLUDED

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



GATTO PICCOLO

Achille and Pier Giacomo Castiglioni, 1960

Potenza · *Power* MAX 60W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE o · *or* 1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE o · *or* 1 LED 10W E14 900lm 2700K [e] cod. RF2261 DIMMABLE o · *or* 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · *Materials*
cocoon, acciaio · *cocoon, steel*

Peso · *Weight* 0,9 Kg DIMMER INCLUDED

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F2701009

p. 90



GLO-BALL BASIC ZERO

Jasper Morrison, 2009

Potenza · *Power* MAX 60W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 60W E14 HSGS 820lm 2800K [e] cod. RF19781 DIMMABLE o · *or* 1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE o · *or* 1 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE o · *or* 1 LED 10W E14 900lm 2700K [e] cod. RF26261 DIMMABLE o · *or* 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 1 Kg DIMMER INCLUDED

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F3330009

p. 110



GLO-BALL BASIC ZERO SWITCH

Jasper Morrison, 2009

Potenza · *Power* MAX 60W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 60W E14 HSGS 820lm 2800K [e] cod. RF19781 DIMMABLE o · *or* 1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE o · *or* 1 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE o · *or* 1 LED 10W E14 900lm 2700K [e] cod. RF26261 DIMMABLE o · *or* 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 1 Kg

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F3331009 SWITCH

p. 110



GLO-BALL BASIC 1

Jasper Morrison, 1998

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · *or* 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · *Materials*
vetro · *glass*


Peso · *Weight* 2,6 Kg DIMMER INCLUDED

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F3021000

p. 110

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



GLO-BALL BASIC 2

Jasper Morrison, 1998

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-240V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · *or* 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 5,3 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	◯ F3026000

p. 110



MINI GLO-BALL C/W

Jasper Morrison, 2002

Potenza · *Power* MAX 25W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 3W G9 290lm 2700K* [e] cod. 28425 [e] o · *or* 1 LED 2W G9 240lm 2700K* cod. RF26520 [e]


Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 5,3 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	◯ F4190009 MIRROR
bianco · *white*	◯ F4194009 C/W

p. 288

C/W MIRROR MOUNTING



GLO-BALL C/W ZERO

Jasper Morrison, 2009

Potenza · *Power* MAX 60W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 60W E14 HSGS 820lm 2800K [e] cod. RF19781 DIMMABLE o · *or* 1 LED 8W E14 800lm 3000K cod. RF26565 [e] DIMMABLE o · *or* 1 LED 8W E14 700lm 2700K cod. RF26767 [e] DIMMABLE o · *or* 1 LED 10W E14 900lm 2700K cod. RF26261 [e] DIMMABLE o · *or* 1 LED 10W E14 900lm 3000K cod. RF26260 [e] DIMMABLE

Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 1 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	◯ F3335009

p. 288



GLO-BALL C1

Jasper Morrison, 1999

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · *or* 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE


Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 2,5 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	◯ F3023000

p. 288

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



GLO-BALL C2

Jasper Morrison, 1999

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · *or* 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE


Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 5,1 Kg

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F3028000

p. 288



GLO-BALL W

Jasper Morrison, 1999

Potenza · *Power* MAX 100W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 1,8 Kg

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F3022000

p. 288



GLO-BALL F1

Jasper Morrison, 1998

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · *or* 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · *Materials*
vetro, acciaio · *glass, steel*

Peso · *Weight* 12 Kg DIMMER INCLUDED

Finiture *Finishes*: argento · *silver*

Colori *Colors*: F3031020

p. 164



GLO-BALL F2

Jasper Morrison, 1998

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · *or* 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · *Materials*
vetro, acciaio · *glass, steel*


Peso · *Weight* 12,5 Kg DIMMER INCLUDED

Finiture *Finishes*: argento · *silver*

Colori *Colors*: F3032020

p. 164

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



GLO-BALL F3

Jasper Morrison, 1998

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · *or* 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE


Materiali · *Materials*
vetro, acciaio · *glass, steel*

Peso · *Weight* 18,9 Kg DIMMER INCLUDED

Finiture *Finishes*: argento · *silver*

Colori *Colors*: F3030000

p. 164



MINI GLO-BALL S

Jasper Morrison, 1998

Potenza · *Power* MAX 25W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
LED 3W G9 290lm 2700K* [e] cod. 28425 [e] o · *or* 1 LED 2W G9 240lm 2700K* cod. RF26520 [e]

Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 0,7 Kg

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F4195009

p. 249



GLO-BALL S1

Jasper Morrison, 1998

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · *or* 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 2,7 Kg

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F3005061

p. 249



GLO-BALL S2

Jasper Morrison, 1998

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · *or* 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 5,6 Kg

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F3010061

p. 249

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



GLO-BALL S2 ECO

Jasper Morrison, 1998

Potenza · *Power* 42W

Tensione · *Voltage* 220-240V

B

Fonte luminosa (disponibile) · *Light source (available)*
1 x 42W Gx24q-4 3200lm 3000K [e]
cod. RF14594 Ballast nel rosone · *Ballast in the rose*

Materiali · *Materials*
vetro · *glass*


Peso · *Weight* 5,6 Kg

Prodotto su richiesta
Made on demand

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F3011061

p. 249



MINI GLO-BALL T

Jasper Morrison, 2003

Potenza · *Power* MAX 25W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 3W G9 290lm 2700K* [e] cod. 28425 [e] o · *or* 1 LED 2W G9 240lm 2700K* cod. RF26520 [e]


Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 0,4 Kg

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F4191009

p. 110



GLO-BALL T1

Jasper Morrison, 1998

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · *or* 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · *Materials*
vetro, acciaio · *glass, steel*

Peso · *Weight* 7 Kg DIMMER INCLUDED

Finiture *Finishes*: argento · *silver*

Colori *Colors*: F3020000

p. 110



GOLDMAN

Ron Gilad, 2013

Potenza · *Power* 8W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) · *Light source (available)*
42 LED 8W 248lm total 2700K CRI 85 + CHARGER USB 5VDC 1,5A [i]
DIMMABLE

Materiali · *Materials*
alluminio, metacrilato · *aluminum, methacrylate*

Peso · *Weight* 0,9 Kg DIMMER INCLUDED

Finiture *Finishes*: ottone/verde · *brass/green*; nero/fumè · *black/fumée*

Colori *Colors*: F3440044; F3440030

p. 94

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



GUNS - BEDSIDE GUN

Philippe Starck, 2005

Potenza · *Power* MAX 75W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
alluminio, carta plastificata · *aluminum, plasticized paper*

Peso · *Weight* 1,7 Kg DIMMER INCLUDED

Finiture *Finishes*
- oro 18K · *18K gold*
- cromo · *chrome*

Colori *Colors*
- F2953000
- F2953057

p. 112



GUNS - LOUNGE GUN

Philippe Starck, 2005

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

Materiali · *Materials*
alluminio, carta plastificata · *aluminum, plasticized paper*

Peso · *Weight* 19,5 Kg DIMMER INCLUDED

Finiture *Finishes*
- oro 18K · *18K gold*
- cromo · *chrome*

Colori *Colors*
- F2955000
- F2955057

p. 158



GUNS - TABLE GUN

Philippe Starck, 2005

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE o · *or* 1 x LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE


Materiali · *Materials*
alluminio, carta plastificata · *aluminum, plasticized paper*

Peso · *Weight* 6,2 Kg DIMMER INCLUDED

Finiture *Finishes*
- oro 18K · *18K gold*
- cromo · *chrome*

Colori *Colors*
- F2954000
- F2954057

p. 112



IC C/W1

Michael Anastassiades, 2014

Potenza · *Power* MAX 60W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 60W E14 HSGS 820lm 2800K [e] cod. RF19781 DIMMABLE o · *or* 1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE o · *or* 1 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE o · *or* 1 LED 10W E14 900lm 2700K [e] cod. RF26261 DIMMABLE o · *or* 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · *Materials*
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*


Peso · *Weight* 2 Kg

Finiture *Finishes*
- cromo · *chrome*
- ottone · *brass*
- nero · *black*

Colori *Colors*
- F3178057
- F3178059
- F3178030

p. 284

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



IC C/W2

Michael Anastassiades, 2014

Potenza · *Power* MAX 205W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · *or* 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · *Materials*
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*

Peso · *Weight* 3,7 Kg

Finiture *Finishes*
cromo · *chrome* — Colori *Colors* F3179057
ottone · *brass* — F3179059
nero · *black* — F3179030

p. 284



IC F1

Michael Anastassiades, 2014

Potenza · *Power* MAX 60W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 60W E14 HSGS 820lm 2800K [e] cod. RF19781 DIMMABLE o · *or* 1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE o · *or* 1 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE o · *or* 1 LED 10W E14 900lm 2700K [e] cod. RF26261 DIMMABLE o · *or* 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · *Materials*
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*

Peso · *Weight* 5 Kg DIMMER INCLUDED

Finiture *Finishes*
cromo · *chrome* — Colori *Colors* F3173057
ottone · *brass* — F3173059
nero · *black* — F3173030

p. 145



IC F1 OUTDOOR/INDOOR

Michael Anastassiades, 2019

Potenza · *Power* 8W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE o · *or* 1 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE

Materiali · *Materials*
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*

Peso · *Weight* 5 Kg DIMMER INCLUDED

Finiture *Finishes* — Colori *Colors*
acciaio inox · *stainless steel* (occhio di pernice marble) — F012A04C005
ottone · *brass* (grey lava marble) — F012A03C059
deep brown · *deep brown* (travertino imperiale marble) — F012A01C018
nero · *black* (black lava marble) — F012A02C030

p. 147



IC F2

Michael Anastassiades, 2014

Potenza · *Power* MAX 205W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · *or* 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · *Materials*
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*

Peso · *Weight* 10 Kg DIMMER INCLUDED

Finiture *Finishes*
cromo · *chrome* — Colori *Colors* F3174057
ottone · *brass* — F3174059
nero · *black* — F3174030

p. 145

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



IC F2 OUTDOOR/INDOOR

Michael Anastassiades, 2019

Potenza · *Power* 17W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
11 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE


Materiali · *Materials*
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*

Peso · *Weight* 10 Kg DIMMER INCLUDED

IP 65

Finiture *Finishes*	Colori *Colors*
acciaio inox · *stainless steel* (occhio di pernice marble)	F012B04C005
ottone · *brass* (grey lava marble)	F012B03C059
deep brown · *deep brown* (travertino imperiale marble)	F012B01C018
nero · *black* (black lava marble)	F012B02C030

p. 147



IC S1

Michael Anastassiades, 2014

Potenza · *Power* MAX 60W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 60W E14 HSGS 820lm 2800K [e] cod. RF19781 DIMMABLE o · *or* 1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE o · *or* 1 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE o · *or* 1 LED 10W E14 900lm 2700K [e] cod. RF26261 DIMMABLE o · *or* 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE


Materiali · *Materials*
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*

Peso · *Weight* 2,2 Kg

IP 20

Finiture *Finishes*	Colori *Colors*
cromo · *chrome*	F3175057
ottone · *brass*	F3175059
nero · *black*	F3175030

p. 212



IC S2

Michael Anastassiades, 2014

Potenza · *Power* MAX 205W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · *or* 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE


Materiali · *Materials*
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*

Peso · *Weight* 3,9 Kg

IP 20

Finiture *Finishes*	Colori *Colors*
cromo · *chrome*	F3176057
ottone · *brass*	F3176059
nero · *black*	F3176030

p. 212



IC T1 HIGH

Michael Anastassiades, 2014

Potenza · *Power* MAX 60W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 60W E14 HSGS 820lm 2800K [e] cod. RF19781 DIMMABLE o · *or* 1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE o · *or* 1 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE o · *or* 1 LED 10W E14 900lm 2700K [e] cod. RF26261 DIMMABLE o · *or* 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · *Materials*
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*


Peso · *Weight* 1,7 Kg DIMMER INCLUDED

IP 20

Finiture *Finishes*	Colori *Colors*
cromo · *chrome*	F3170057
ottone · *brass*	F3170059
nero · *black*	F3170030

p. 77

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



IC T1 LOW

Michael Anastassiades, 2014

Potenza · *Power* MAX 60W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 60W E14 HSGS 820lm 2800K [e] cod. RF19781 DIMMABLE o · *or* 1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE o · *or* 1 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE o · *or* 1 LED 10W E14 900lm 2700K [e] cod. RF26261 DIMMABLE o · *or* 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · *Materials*
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*

Peso · *Weight* 1,6 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
cromo · *chrome*	F3171057
ottone · *brass*	F3171059
nero · *black*	F3171030

p. 77



IC T2

Michael Anastassiades, 2014

Potenza · *Power* MAX 205W

Tensione · *Voltage* 220-240V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE o · *or* 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · *or* 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · *Materials*
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*

Peso · *Weight* 3,6 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
cromo · *chrome*	F3172057
ottone · *brass*	F3172059
nero · *black*	F3172030

p. 77



IPNOS OUTDOOR/INDOOR

Nicoletta Rossi and Guido Bianchi, 2014

Potenza · *Power* 15W

Tensione · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) · *Light source (available)*
196 TOP LED 15W 665lm 2700K (indoor) 3500K (outdoor) CRI 85 [i]

Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 0,8 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
nero · *black*	F3120030
anodizzato · *anodized*	F3120054
bronzo · *bronze*	F3120046
nero · *black*	F3150030 OUTDOOR
naturale · *natural*	F3150054 OUTDOOR
bronzo · *bronze*	F3150046 OUTDOOR
trasparente · *transparent*	F3125000 TOP PLATE

p. 168



MINIKELVIN LED

Antonio Citterio, 2011

Potenza · *Power* 4W

Tensione · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) · *Light source (available)*
36 TOP LED 4W 97lm 3000K total CRI80 [i] DIMMING


Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 0,8 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
cromo · *chrome*	F4180057

p. 104

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



KELVIN EDGE BASE

Antonio Citterio, 2015

Potenza · *Power* 7W

Tensione · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
EDGE LIGHTING 7W 306lm
2700/3200K CRI 90 [i] DIMMABLE K SELECTION


Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 3 Kg

DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F3452009
nero · *black*	F3452030
titanio · *titanium*	F3452033
cromo · *chrome*	F3452057

p. 106



KELVIN EDGE MORSETTO · CLAMP

Antonio Citterio, 2015

Potenza · *Power* 7W

Tensione · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
EDGE LIGHTING 7W 306lm
2700/3200K CRI 90 [i] DIMMABLE K SELECTION


Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 0,7 Kg

DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F3460009
nero · *black*	F3460030
titanio · *titanium*	F3460033
cromo · *chrome*	F3460057

p. 106



KELVIN EDGE SUPP. SCRIVANIA · DESK SUPP.

Antonio Citterio, 2015

Potenza · *Power* 7W

Tensione · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
EDGE LIGHTING 7W 306lm
2700/3200K CRI 90 [i] DIMMABLE K SELECTION

Materiali · *Materials*
alluminio · *aluminum*


Peso · *Weight* 0,6 Kg

DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F3458009 CV · VC
bianco · *white*	F3456009 CN · HC
nero · *black*	F3458030 CV · VC
nero · *black*	F3456030 CN · HC
titanio · *titanium*	F3458033 CV · VC
titanio · *titanium*	F3456033 CN · HC
cromo · *chrome*	F3458057 CV · VC
cromo · *chrome*	F3456057 CN · HC

p. 106

CV: cavo a vista CN: cavo nascosto · *VC: visible cable HC: hidden cable*



KELVIN EDGE ATTACCO A PARETE · WALL

Antonio Citterio, 2015

Potenza · *Power* 7W

Tensione · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
EDGE LIGHTING 7W 306lm
2700/3200K CRI 90 [i] DIMMABLE K SELECTION

Materiali · *Materials*
alluminio · *aluminum*


Peso · *Weight* 0,6 Kg

DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F3454009
nero · *black*	F3454030
titanio · *titanium*	F3454033
cromo · *chrome*	F3454057

p. 106

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



KELVIN LED BASE

Antonio Citterio assistant Toan Nguyen, 2009

Potenza · *Power* 8W

Tensione · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) ·
Light source (available)
30 TOP LED 7,5W 556lm total 3000K
CRI 95 [i] GREEN MODE

Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 4,8 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F3311009
nero · *black*	F3311030
antracite · *anthracite*	F3311033
cromo · *chrome*	F3311057

p. 105



KELVIN LED MORSETTO · CLAMP

Antonio Citterio assistant Toan Nguyen, 2009

Potenza · *Power* 8W

Tensione · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) ·
Light source (available)
30 TOP LED 7,5W 556lm total 3000K
CRI 95 [i] GREEN MODE

Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 1,6 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F3301009
nero · *black*	F3301030
antracite · *anthracite*	F3301033
cromo · *chrome*	F3313057

p. 105



KELVIN LED SUPP. SCRIVANIA · DESK SUPP.

Antonio Citterio assistant Toan Nguyen, 2009

Potenza · *Power* 8W

Tensione · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
30 TOP LED 7,5W 556lm total 3000K
CRI 95 [i] GREEN MODE


Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 1,5 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F3308009 CV · *VC*
bianco · *white*	F3309009 CN · *HC*
nero · *black*	F3308030 CV · *VC*
nero · *black*	F3309030 CN · *HC*
antracite · *anthracite*	F3308033 CV · *VC*
antracite · *anthracite*	F3309033 CN · *HC*
cromo · *chrome*	F3308057 CV · *VC*
cromo · *chrome*	F3309057 CN · *HC*

p. 105

CV: cavo a vista CN: cavo nascosto · *VC: visible cable HC: hidden cable*



KELVIN LED ATTACCO A PARETE · WALL

Antonio Citterio assistant Toan Nguyen, 2009

Potenza · *Power* 8W

Tensione · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
30 TOP LED 7,5W 556lm total 3000K
CRI 95 [i] GREEN MODE


Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 1,5 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F3302009
nero · *black*	F3302030
antracite · *anthracite*	F3302033
cromo · *chrome*	F3314057

p. 105

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



KELVIN LED F

Antonio Citterio, 2011

Potenza · *Power* 8W

Tensione · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) ·
Light source (available)
30 TOP LED 8W 556lm total 2700K
CRI 95 [i]

Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 3,8 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F3305009
nero · *black*	F3305030
antracite · *anthracite*	F3305033

p. 177



KTRIBE F1

Philippe Starck, 2007

Potenza · *Power* MAX 100W

Tensione · *Voltage* 220-240V

A+ → E


Fonte luminosa (disponibile) ·
Light source (available)
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE o · *or* 1 LED 8,5W E27 806lm 2200-2700K [e] cod. RF26360 DIMMABLE

Materiali · *Materials*
alluminio, policarbonato, PMMA, tessuto ·
aluminum, polycarbonate, PMMA, fabric

Peso · *Weight* 4,3 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
trasparente · *transparent*	F6265000
argento · *silver*	F6265004
bronzo · *bronze*	F6265046
tessuto · *fabric*	F6265007
fumè · *fumée*	F6265030

p. 172



KTRIBE F2

Philippe Starck, 2007

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-240V

A+ → E


Fonte luminosa (disponibile) ·
Light source (available)
1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

Materiali · *Materials*
alluminio, policarbonato, PMMA, tessuto ·
aluminum, polycarbonate, PMMA, fabric

Peso · *Weight* 6,7 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
trasparente · *transparent*	F6305000
argento · *silver*	F6305004
bronzo · *bronze*	F6305046
tessuto · *fabric*	F6305007
fumè · *fumée*	F6305030

p. 172



KTRIBE F3

Philippe Starck, 2007

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

Materiali · *Materials*
alluminio, policarbonato, PMMA, tessuto ·
aluminum, polycarbonate, PMMA, fabric

Peso · *Weight* 14,0 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
trasparente · *transparent*	F6301000
argento · *silver*	F6301004
bronzo · *bronze*	F6301046
tessuto · *fabric*	F6301007
fumè · *fumée*	F6301030

p. 172

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



KTRIBE F3 OUTDOOR/INDOOR

Philippe Starck, 2007

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 21W E27 2450lm 3000K [e]
cod. RF26998 DIMMABLE

Materiali · *Materials*
alluminio, policarbonato, PVC ·
aluminum, polycarbonate, PVC

Peso · *Weight* 23,0 Kg DIMMER INCLUDED

IP 65

Finiture *Finishes*	Colori *Colors*
panama · *panama*	F6268022
green wall · *green wall*	F6268041



KTRIBE S1

Philippe Starck, 2005

Potenza · *Power* MAX 75W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 3W G9 290lm 2700K* [e] cod. 28425 [e] o · *or* 1 LED 2W G9 240lm 2700K* cod. RF26520 [e]

Materiali · *Materials*
policarbonato, PMMA · *polycarbonate, PMMA*

p. 259

Peso · *Weight* 1 Kg

IP 20

Finiture *Finishes*	Colori *Colors*
argento · *silver*	F6256000
fumè · *fumée*	F6256030



KTRIBE S2

Philippe Starck, 2005

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 21W E27 2452lm 3000K [e]
cod. RF26998 DIMMABLE


Materiali · *Materials*
policarbonato, PMMA · *polycarbonate, PMMA*

p. 259

Peso · *Weight* 2,5 Kg

IP 20

Finiture *Finishes*	Colori *Colors*
trasparente · *transparent*	F6257000A
argento · *silver*	F6257000
bronzo · *bronze*	F6257046
fumè · *fumée*	F6257030



KTRIBE S3

Philippe Starck, 2005

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 21W E27 2452lm 3000K [e]
cod. RF26998 DIMMABLE

Materiali · *Materials*
policarbonato, PMMA · *polycarbonate, PMMA*

p. 259

Peso · *Weight* 4,5 Kg

IP 20

Finiture *Finishes*	Colori *Colors*
trasparente · *transparent*	F6258000A
argento · *silver*	F6258000
bronzo · *bronze*	F6258046
fumè · *fumée*	F6258030

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



KTRIBE T1

Philippe Starck, 2007

Potenza · *Power* MAX 100W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
alluminio, metacrilato, policarbonato · *aluminum, methacrylate, polycarbonate*

Peso · *Weight* 3,1 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
trasparente · *transparent*	F6263000
fumè · *fumée*	F6263030

p. 100



KTRIBE T1 GLASS

Philippe Starck, 2007

Potenza · *Power* MAX 100W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
alluminio, vetro, policarbonato · *aluminum, glass, polycarbonate*

Peso · *Weight* 4,6 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
trasparente · *transparent*	F6281000

p. 100



KTRIBE T2

Philippe Starck, 2007

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-240V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE

Materiali · *Materials*
alluminio, policarbonato, PMMA, tessuto · *aluminum, polycarbonate, PMMA, fabric*

Peso · *Weight* 5,9 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
trasparente · *transparent*	F6303000
argento · *silver*	F6303004
bronzo · *bronze*	F6303046
tessuto · *fabric*	F6303007
fumè · *fumée*	F6303030

p. 100



KTRIBE W

Philippe Starck, 2007

Potenza · *Power* MAX 100W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
alluminio, policarbonato, PMMA, tessuto · *aluminum, polycarbonate, PMMA, fabric*

Peso · *Weight* 1,7 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
trasparente · *transparent*	F6307000
argento · *silver*	F6307004
bronzo · *bronze*	F6307046
tessuto · *fabric*	F6307007
fumè · *fumée*	F6307030

p. 304

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



LAMPADINA

Achille Castiglioni, 1972

Potenza · *Power* MAX 5W

Tensione · *Voltage* 230V

A++ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 2W E27 200lm 2700K [i] cod. RF24054

Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 0,3 Kg

Finiture *Finishes*
nero · *black*
arancio · *orange*

Colori *Colors*
F3300000
F3300075

p. 82



LA PLUS BELLE

Philippe Starck, 2019

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) · *Light source (available)*
560 TOP LED 58W 5300lm 2700K CRI 95

Materiali · *Materials*
alluminio · *aluminium*

Peso · *Weight* 32,8 Kg

DIMMER INCLUDED

Finiture *Finishes*
bronzo lucido · *polished bronze*
rame spazzolato · *brushed cooper*
oro spazzolato · *brushed gold*
brill · *brill*

Colori *Colors*
F3680046
F3680015
F3680044
F3680064

p. 262



LUMINATOR

Achille and Pier Giacomo Castiglioni, 1954

Potenza · *Power* MAX 205W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 750lm 2700K [e] cod. RF25319 DIMMABLE o · *or* 1 LED 8W E27 660lm 2700K [e] cod. RF26277 DIMMABLE

Materiali · *Materials*
metallo · *metal*

Peso · *Weight* 4,1 Kg

Finiture *Finishes*
antracite · *anthracite*

Colori *Colors*
F3770033

p. 165



MAY DAY

Konstantin Grcic, 2000

Potenza · *Power* MAX 60W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8,5W E27 806lm 2200-2700K [e] cod. RF26360 DIMMABLE
o · *or* 1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE

Materiali · *Materials*
polipropilene · *polypropylene*

Peso · *Weight* 0,7 Kg

Finiture *Finishes*
nero · *black*
arancio · *orange*

Colori *Colors*
F3780030
F3780002

p. 85

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



MISS K

Philippe Starck, 2003

Potenza · *Power* MAX 100W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
PMMA, policarbonato, tessuto · *PMMA, polycarbonate, fabric*

Peso · *Weight* 1,2 Kg DIMMER INCLUDED

Finiture *Finishes* / Colori *Colors*

rosso · *red*	F6255035
argento · *silver*	F6255000
nero · *black*	F6255030
tessuto · *fabric*	F6255007

p. 122



MISS SISSI

Philippe Starck, 1991

Potenza · *Power* MAX 60W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 60W E14 HSGS 820lm 2800K [e] cod. RF19781 DIMMABLE


Materiali · *Materials*
policarbonato · *polycarbonate*

Peso · *Weight* 1,5 Kg

Finiture *Finishes* / Colori *Colors*

bianco · *white*	F6250009
viola · *violet*	F6250042

p. 116



MONI 1/2

Achille Castiglioni, 1982

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 150W E27 HSGS 2870lm 2900K [e] cod. RF20358


Materiali · *Materials*
alluminio, vetro · *aluminum, glass*

Peso · *Weight* 1,5 Kg (1) - 2,2 Kg (2)

Finiture *Finishes* / Colori *Colors*

bianco · *white*	F3801009 MONI 1
bianco · *white*	F3901009 MONI 2

p. 302



MY WAY 110X100 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 5W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) · *Light source (available)*
MID-POWER LED 5W 421lm ≠ FIXT 188lm 2700K CRI80 100-240V [i]

Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 0,52 Kg

Finiture *Finishes* / Colori *Colors*

bianco · *white*	F4350001
grigio · *grey*	F4350006
antracite · *anthracite*	F4350033
nero · *black*	F4350030
deep brown · *deep brown*	F4350018

p. 272

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*

58 mm



MY WAY 110X100 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 5W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) · *Light source (available)*
MID-POWER LED 5W 490lm ≠ FIXT 211lm 3000K CRI80 100-240V [i]

Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 0,52 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F4351001
grigio · *grey*	F4351006
antracite · *anthracite*	F4351033
nero · *black*	F4351030
deep brown · *deep brown*	F4351018

p. 272

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

58 mm



MY WAY 110X100 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 5W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) · *Light source (available)*
MID-POWER LED 5W 514lm ≠ FIXT 221lm 4000K CRI80 100-240V [i]

Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*


Peso · *Weight* 0,52 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F4352001
grigio · *grey*	F4352006
antracite · *anthracite*	F4352033
nero · *black*	F4352030
deep brown · *deep brown*	F4352018

p. 272

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

58 mm



MY WAY 110X200 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 13W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) · *Light source (available)*
MID-POWER LED 13W 1357lm ≠ FIXT 657lm 2700K CRI80 220-240V [i]

Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*


Peso · *Weight* 0,95 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F4353001
grigio · *grey*	F4353006
antracite · *anthracite*	F4353033
nero · *black*	F4353030
deep brown · *deep brown*	F4353018

p. 272

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

58 mm



MY WAY 110X200 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 13W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) · *Light source (available)*
MID-POWER LED 13W 1577lm ≠ FIXT 763lm 3000K CRI80 220-240V [i]

Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 0,95 Kg


Finiture *Finishes*	Colori *Colors*
bianco · *white*	F4354001
grigio · *grey*	F4354006
antracite · *anthracite*	F4354033
nero · *black*	F4354030
deep brown · *deep brown*	F4354018

p. 272

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*

58 mm



MY WAY 110X200 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 13W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 13W 1656lm ≠ FIXT 801lm 4000K CRI80 220-240V [i]

Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 0,95 Kg

IP 65

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F4355001
grigio · *grey*	F4355006
antracite · *anthracite*	F4355033
nero · *black*	F4355030
deep brown · *deep brown*	F4355018

p. 272

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

58 mm



MY WAY 210X200 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 13W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 13W 1357lm ≠ FIXT 669lm 2700K CRI80 220-240V [i]

Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 1,44 Kg

IP 65

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F4356001
grigio · *grey*	F4356006
antracite · *anthracite*	F4356033
nero · *black*	F4356030
deep brown · *deep brown*	F4356018

p. 272

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

58 mm



MY WAY 210X200 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 13W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 13W 1577lm ≠ FIXT 777lm 3000K CRI80 220-240V [i]

Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 1,44 Kg

IP 65

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F4357001
grigio · *grey*	F4357006
antracite · *anthracite*	F4357033
nero · *black*	F4357030
deep brown · *deep brown*	F4357018

p. 272

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

58 mm



MY WAY 210X200 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 13W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 13W 1656lm ≠ FIXT 817lm 4000K CRI80 220-240V [i]

Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 1,44 Kg

IP 65

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F4358001
grigio · *grey*	F4358006
antracite · *anthracite*	F4358033
nero · *black*	F4358030
deep brown · *deep brown*	F4358018

p. 272

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



NEBULA

Joris Laarman, 2007

Potenza · *Power* 8 x MAX 70W + 4 x MAX 70W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
8 LED 8W E27 525lm 2700K [e] cod. RF25570 (down) + 4 LED 8W E27 740lm 3000K [e] cod. RF25317 (up) o · *or* 4 LED 8W E27 740lm 2700K [e] cod. RF25323 (up)


Materiali · *Materials*
alluminio, vetro · *aluminum, glass*

Peso · *Weight* 38 Kg

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F4550009

p. 238



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power* 36W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
2 STRIP LED 9W + 1 COB LED 18W
3960lm 2700K CRI 90

Materiali · *Materials*
vetro soffiato · *blown glass*


Peso · *Weight* 10,7 Kg DIMMER INCLUDED

Finiture *Finishes*: nero · *black*

Colori *Colors*: F0268000

p. 199

1 Low Cylinder & Cone



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 45*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
3 STRIP LED x 9W + 1 COB LED 18W
4750lm 2700K CRI 90

Materiali · *Materials*
vetro soffiato · *blown glass*


Peso · *Weight* 14,7 Kg DIMMER INCLUDED

Finiture *Finishes*: nero · *black*

Colori *Colors*: F0270000

p. 199

2 Low Cylinders & Cone



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 54*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
4 STRIP LED x 9W + 1 COB LED 18W
5940lm 2700K CRI 90

Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 18,7 Kg DIMMER INCLUDED


Finiture *Finishes*: nero · *black*

Colori *Colors*: F0271000

p. 199

3 Low Cylinders & Cone

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



4 Low Cylinders & Cone

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 63*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
5 STRIP LED x 9W + 1 COB LED 18W
6930lm 2700K CRI 90


Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 22,7 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F0272000

p. 199



1 Low Cylinder & Bowl

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 36*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
2 STRIP LED x 9W + 1 COB LED 18W
3960lm 2700K CRI 90


Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 11,7 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F0263000

p. 199



2 Low Cylinders & Bowl

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 45*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
3 STRIP LED x 9W + 1 COB LED 18W
4750lm 2700K CRI 90


Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 15,7 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F0273000

p. 199



3 Low Cylinders & Bowl

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 54*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
4 STRIP LED x 9W + 1 COB LED 18W
5940lm 2700K CRI 90

Materiali · *Materials*
vetro soffiato · *blown glass*


Peso · *Weight* 19,7 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F0274000

p. 199

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



4 Low Cylinders & Bowl

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 63*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
5 STRIP LED x 9W + 1 COB LED 18W
6930lm 2700K CRI 90


Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 23,7 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F0275000

p. 199



3 Low Cylinders

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 36*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
4 STRIP LED x 9W 3960lm 2700K CRI 90


Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 14,7 Kg

Finiture
Finishes
nero · *black*

Colori
Colors
F0276000

p. 199



4 Low Cylinders

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 45*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
5 STRIP LED x 9W 4950lm 2700K CRI 90


Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 18,7 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F0277000

p. 199



5 Low Cylinders

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 54*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
6 STRIP LED x 9W 5940lm 2700K CRI 90

Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 22,7 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F0278000

p. 199

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



6 Low Cylinders

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 63*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
7 STRIP LED x 9W 6930lm 2700K CRI 90

Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 26,7 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F0279000

p. 199



3 High Cylinders

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 36*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
4 STRIP LED x 9W 3960lm 2700K CRI 90


Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 16,2 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F0264000

p. 199



4 High Cylinders

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 45*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
5 STRIP LED x 9W 4950lm 2700K CRI 90


Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 20,7 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F0280000

p. 199



5 High Cylinders

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 54*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
6 STRIP LED x 9W 5940lm 2700K CRI 90

Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 25,2 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F0281000

p. 199

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



6 High Cylinders

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potenza · *Power 63*W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
7 STRIP LED x 9W 6930lm 2700K CRI 90

Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 29,7 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F0282000

p. 199



1 Low Cylinder
Small Base

NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potenza · *Power 18*W

Tensione · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
2 STRIP LED x 9W 1980lm 2700K CRI 90

Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 10 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F0288000

p. 134



2 Low Cylinders
Small Base

NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potenza · *Power 27*W

Tensione · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
3 STRIP LED x 9W 2970lm 2700K CRI 90


Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 14 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F0289000

p. 134



3 Low Cylinders
Small Base

NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potenza · *Power 36*W

Tensione · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
4 STRIP LED x 9W 3960lm 2700K CRI 90

Materiali · *Materials*
vetro soffiato · *blown glass*


Peso · *Weight* 18 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
F029000

p. 134

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potenza · *Power 45*W

Tensione · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
5 STRIP LED x 9W 4950lm 2700K CRI 90

Finiture
Finishes
nero · *black*

Colori
Colors
● F0291000

Materiali · *Materials*
vetro soffiato · *blown glass*

p. 134

4 Low Cylinders
Small Base

Peso · *Weight* 22 Kg

DIMMER INCLUDED

CE



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potenza · *Power 18*W

Tensione · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
2 STRIP LED x 9W 1980lm 2700K CRI 90

Finiture
Finishes
nero · *black*

Colori
Colors
● F0285000

Materiali · *Materials*
vetro soffiato · *blown glass*


p. 134

1 High Cylinder
Small Base

Peso · *Weight* 10,5 Kg

DIMMER INCLUDED

CE



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potenza · *Power 27*W

Tensione · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
3 STRIP LED x 9W 2970lm 2700K CRI 90

Finiture
Finishes
nero · *black*

Colori
Colors
● F0286000

Materiali · *Materials*
vetro soffiato · *blown glass*


p. 134

2 High Cylinders
Small Base

Peso · *Weight 15* Kg

DIMMER INCLUDED

CE



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potenza · *Power 36*W

Tensione · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
4 STRIP LED x 9W 3960lm 2700K CRI 90

Finiture
Finishes
nero · *black*

Colori
Colors
● F0287000

Materiali · *Materials*
vetro soffiato · *blown glass*

p. 134

3 High Cylinders
Small Base

Peso · *Weight 19,5* Kg

DIMMER INCLUDED

CE

---

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potenza · *Power 36*W

Tensione · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
2 STRIP LED x 9W + 1 COB LED 18W
3960lm 2700K CRI 90

Materiali · *Materials*
vetro soffiato · *blown glass*


Peso · *Weight* 14,5 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
● F0265000

p. 134

1 High Cylinder & Cone
Small Base



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potenza · *Power 45*W

Tensione · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
3 STRIP LED x 9W + 1 COB LED 18W
4750lm 2700K CRI 90

Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 19 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
● F0269000

p. 134

2 High Cylinders & Cone
Small Base



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potenza · *Power 45*W

Tensione · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
5 STRIP LED x 9W 4950lm 2700K CRI
90

Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 28,5 Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*

Colori
Colors
● F0292000

p. 134

4 High Cylinders
Big Base



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potenza · *Power 54*W

Tensione · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
4 STRIP LED x 9W + 1 COB LED 18W
5940lm 2700K CRI 90

Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight 28* Kg DIMMER INCLUDED

Finiture
Finishes
nero · *black*


Colori
Colors
● F0267000

p. 134

3 High Cylinders & Cone
Big Base

---

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potenza · *Power 54*W

Tensione · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
4 STRIP LED x 9W + 1 COB LED 18W
5940lm 2700K CRI 90


Materiali · *Materials*
vetro soffiato · *blown glass*

Peso · *Weight* 29 Kg DIMMER INCLUDED

3 High Cylinders & Bowl
Big Base

Finiture *Finishes*	Colori *Colors*
nero · *black*	F266000

p. 134



OK

Konstantin Grcic, 2014

Potenza · *Power* 18W

Tensione · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) ·
Light source (available)
Edge Lighting Technology 18W
1550lm 2700K CRI85 [i] DIMMABLE

Materiali · *Materials*
alluminio, acciaio, PA · *aluminum, steel, PA*

Peso · *Weight* 2,9 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F4640009
nero · *black*	F4640030
giallo · *yellow*	F4640019
cromo · *chrome*	F4640057

p. 220



ONTHEROCKS HL

Antonio Citterio assistant Toan Nguyen, 2003

Potenza · *Power* MAX 200W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 x MAX 160W R7s HDG 3100lm
2900K [e] cod. RF20131 DIMMABLE

Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 2,5 Kg

Finiture *Finishes*	Colori *Colors*
trasparente · *transparent*	F4651000

p. 291



OVERLAP S1

Michael Anastassiades, 2018

Potenza · *Power* MAX 105W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 x LED 13W E27 1400lm 2700K [e] cod.
RF26065 DIMMABLE o · *or* 1 x LED 13W
E27 1400lm 3000K [e] cod. RF25535
DIMMABLE


Materiali · *Materials*
cocoon, acciaio · *cocoon. steel*

Peso · *Weight* 5,6 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F4633009

p. 196

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



OVERLAP S2

Michael Anastassiades, 2018

Potenza · *Power* Max 105

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
2 x LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 2 x LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE

Materiali · *Materials*
cocoon, acciaio · *cocoon. steel*

Peso · *Weight* 8,8 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F4634009

p. 196



PARENTESI

Achille Castiglioni and Pio Manzù, 1971

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 750lm 2700K [e] cod. RF25319 DIMMABLE o · *or* 1 LED 8W E27 660lm 2700K [e] cod. RF26277 DIMMABLE

Materiali · *Materials*
acciaio, elastomero · *steel, elastomer*

Peso · *Weight* 3,6 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F5400009
nero · *black*	F5400030
rosso · *red*	F5400035
nichel · *nickel*	F5400058

p. 252



PARENTESI COMPL. ELEMENT

Achille Castiglioni and Pio Manzù, 1971

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 750lm 2700K [e] cod. RF25319 DIMMABLE o · *or* 1 LED 8W E27 660lm 2700K [e] cod. RF26277 DIMMABLE

Materiali · *Materials*
elastomero · *elastomer*

Peso · *Weight* 0,5 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F5500009
nero · *black*	F5500030
rosso · *red*	F5500035
nichel · *nickel*	F5500058

p. 252



PARENTESI D

Achille Castiglioni and Pio Manzù, 1971

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 750lm 2700K [e] cod. RF25319 DIMMABLE o · *or* 1 LED 8W E27 660lm 2700K [e] cod. RF26277 DIMMABLE

Materiali · *Materials*
acciaio, elastomero · *steel, elastomer*

Peso · *Weight* 3,6 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F5600009
nero · *black*	F5600030
rosso · *red*	F5600035
nichel · *nickel*	F5600058

p. 252

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



PARENTESI D COMPL. ELEMENT

Achille Castiglioni and Pio Manzù, 1971

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 750lm 2700K [e] cod. RF25319 DIMMABLE o · *or* 1 LED 8W E27 660lm 2700K [e] cod. RF26277 DIMMABLE

Materiali · *Materials*
elastomero · *elastomer*

Peso · *Weight* 0,5 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F5700009
nero · *black*	F5700030
rosso · *red*	F5700035
nichel · *nickel*	F5700058

p. 252



PIANI

R. & E. Bouroullec, 2011

Potenza · *Power* 5W

Tensione · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) · *Light source (available)*
14 TOP LED 5W 112lm total 2700K CRI90 [i]

Materiali · *Materials*
ABS, alluminio, PMMA · *ABS, aluminum, PMMA*

Peso · *Weight* 1,7 Kg

Finiture *Finishes*	Colori *Colors*
nero · *black*	F5830030
verde · *green*	F5830039

p. 95



PIANI BIG

R. & E. Bouroullec, 2013

Potenza · *Power* 6W

Tensione · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) · *Light source (available)*
28 LED 6W 2700K CRI90 [i]

Materiali · *Materials*
rovere americano, pietra Basaltina, metacrilato · *american oak, Basaltina stone, methacrylate*

Peso · *Weight*
3,4 Kg (legno · *wood*) - 9,4 Kg (pietra · *stone*)

Finiture *Finishes*	Colori *Colors*
legno · *wood*	F5835068
pietra · *stone*	F5835087

p. 95



POCHETTE

Rodolfo Dordoni, 2003

Potenza · *Power* MAX 200W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 160W R7s HDG 3100lm 2900K [e] cod. RF20131


Materiali · *Materials*
zama · *zamak*

Peso · *Weight* 1,6 Kg

Finiture *Finishes*	Colori *Colors*
grigio · *grey*	F9700020
bianco · *white*	F9700009
cromo · *chrome*	F9700057

p. 300

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



POCHETTE LED

Rodolfo Dordoni, 2003

Potenza · *Power* 20W

Tensione · *Voltage* 220-240V

Finiture *Finishes*
grigio · *grey*
bianco · *white*
cromo · *chrome*

Colori *Colors*
F9704020
F9704009
F9704057


LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
144 LED 20W 2700K 1707lm CRI90 [i]

Materiali · *Materials*
zama · *zamak*

p. 300

Peso · *Weight* 1,6 Kg



POCHETTE UP/DOWN

Rodolfo Dordoni, 2003

Potenza · *Power* MAX 200W

Tensione · *Voltage* 220-250V

Finiture *Finishes*
grigio · *grey*
bianco · *white*
cromo · *chrome*

Colori *Colors*
F9701020
F9701009
F9701057


A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 x MAX 160W R7s HDG 3100lm
2900K [e] cod. RF20131

Materiali · *Materials*
zama · *zamak*

p. 300

Peso · *Weight* 1,7 Kg



POCHETTE UP/DOWN LED

Rodolfo Dordoni, 2003

Potenza · *Power* MAX 21,5W

Tensione · *Voltage* 220-240V

Finiture *Finishes*
grigio · *grey*
bianco · *white*
cromo · *chrome*

Colori *Colors*
F9705020
F9705009
F9705057


LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
144 LED 20W 2700K 1707lm CRI90 [i]
+ 36 LED 1,5W 2700K 37lm CRI90 [i]

Materiali · *Materials*
zama · *zamak*

p. 300

Peso · *Weight* 1,7 Kg



RAY F1

Rodolfo Dordoni, 2007

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-240V

Finiture *Finishes*
nero · *black*
bianco · *white*
vetro · *glass*

Colori *Colors*
F5916030
F5916009
F5915020

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 8W E27 740lm 3000K [e] cod.
RF25317 DIMMABLE o · *or* 1 LED 8W
E27 740lm 2700K [e] cod. RF25323
DIMMABLE


Materiali · *Materials*
acciaio, alluminio, vetro · *steel, aluminum, glass*

p. 160

Peso · *Weight*
5,0 Kg (*alum.*) - 8,0 Kg (*glass*)

DIMMER INCLUDED

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



RAY F2

Rodolfo Dordoni, 2007

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-240V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

Finiture *Finishes*	Colori *Colors*
nero · *black*	F5921030
bianco · *white*	F5921009
vetro · *glass*	F5920020

Materiali · *Materials*
acciaio, alluminio, vetro · *steel, aluminum, glass*

p. 160

Peso · *Weight* DIMMER INCLUDED
6,2 Kg (*alum.*) - 9,2 Kg (*glass*)



RAY S

Rodolfo Dordoni, 2007

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

Finiture *Finishes*	Colori *Colors*
nero · *black*	F5931030
bianco · *white*	F5931009
vetro · *glass*	F5930020

Materiali · *Materials*
acciaio, alluminio, vetro · *steel, aluminum, glass*

p. 226

Peso · *Weight*
3,8 Kg (alluminio · *aluminum*) - 6,8 Kg (vetro · *glass*)



RAY T

Rodolfo Dordoni, 2007

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-240V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 740lm 3000K [e] cod. RF25317 o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Finiture *Finishes*	Colori *Colors*
nero · *black*	F5911030
bianco · *white*	F5911009
vetro · *glass*	F5910020

Materiali · *Materials*
acciaio, alluminio, vetro · *steel, aluminum, glass*

p. 98

Peso · *Weight* DIMMER INCLUDED
4,2 Kg (*alum.*) - 6,5 Kg (*glass*)



REAL MATTER OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 3W

Tensione · *Voltage* 24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) · *Light source (available)*
LOW-POWER LED 3W 180lm ≠ FIXT 74lm 2700K CRI80 24V [i]

Finiture *Finishes*	Colori *Colors*
rame lucido · *polished copper*	F5960015
bronzo spazzolato · *brushed bronze*	F5960046
oro spazzolato · *brushed gold*	F5960044
acciaio spazzolato · *brushed steel*	F5960056


Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*

p. 274

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 0,60 Kg

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



REAL MATTER OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · *Power* 3W

Tensione · *Voltage* 24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LOW-POWER LED 3W 200lm ≠ FIXT 82lm 3000K CRI80 24V [i]

Finiture
Finishes

rame lucido · *polished copper*
bronzo spazzolato · *brushed bronze*
oro spazzolato · *brushed gold*
acciaio spazzolato · *brushed steel*

Colori
Colors

F5961015
F5961046
F5961044
F5961056

Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*

p. 274

per gamma completa e accessori consultare flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 0,60 Kg

IP 65



ROMEO BABE S

Philippe Starck, 1997

Potenza · *Power* MAX 40W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 x 2,3W G9 HSGS 460lm 2700K* [e]
cod. RF18863

Finiture
Finishes

vetro · *glass*

Colori
Colors

F6124000

Materiali · *Materials*
vetro · *glass*

p. 232

Peso · *Weight* 0,4 Kg

IP 20



ROMEO BABE W

Philippe Starck, 1996

Potenza · *Power* MAX 40W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 x 2,3W G9 HSGS 460lm 2700K* [e]
cod. RF18863

Finiture
Finishes

vetro · *glass*

Colori
Colors


F6260000A

Materiali · *Materials*
vetro, acciaio inox · *glass, stainless steel*

p. 305

Peso · *Weight* 0,5 Kg

IP 20 0,5 m



ROMEO BABE SOFT S

Philippe Starck, 1997

Potenza · *Power* MAX 40W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 x 2,3W G9 HSGS 460lm 2700K* [e]
cod. RF18863

Finiture
Finishes

tessuto · *fabric*

Colori
Colors

F6124007

Materiali · *Materials*
tessuto, vetro · *fabric, glass*

p. 232

Peso · *Weight* 0,4 Kg

IP 20

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



ROMEO BABE SOFT W

Philippe Starck, 1997

Potenza · *Power* MAX 40W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x 2,3W G9 HSGS 460lm 2700K* [e] cod. RF18863


Materiali · *Materials*
tessuto, vetro · *fabric, glass*

Peso · *Weight* 0,4 Kg

Finiture *Finishes*: tessuto · *fabric*

Colori *Colors*: F6260007A

p. 305



ROMEO MOON F

Philippe Starck, 1996

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
vetro, acciaio, alluminio · *glass, steel, aluminum*

Peso · *Weight* 23,8 Kg DIMMER INCLUDED

Finiture *Finishes*: vetro · *glass*

Colori *Colors*: F6109000

p. 180



ROMEO MOON S1

Philippe Starck, 1996

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 150W E27 HSGS 2870lm 2900K [e] cod. RF20358 o · *or* 1 x MAX 150W E27 HSGS 2870lm 2900K [e] cod. RF20358 o · *or* 1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 4,5 Kg

Finiture *Finishes*: vetro · *glass*

Colori *Colors*: F6105000

p. 233



ROMEO MOON S2

Philippe Starck, 1996

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 150W E27 HSGS 2870lm 2900K [e] cod. RF20358 o · *or* 1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
vetro · *glass*

Peso · *Weight* 7,6 Kg

Finiture *Finishes*: vetro · *glass*

Colori *Colors*: F0003000

p. 233

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



ROMEO MOON T1

Philippe Starck, 1998

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 x MAX 150W E27 HSGS 2870lm 2900K [e] cod. RF20358 o · *or* 1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
vetro, acciaio, alluminio · *glass, steel, aluminum*

Peso · *Weight* 7,7 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
vetro · *glass*	F6107000

p. 101



ROMEO OUTDOOR/INDOOR C3 710MM

Philippe Starck, 2007

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 21W E27 2450lm 3000K [e] cod. RF26998 DIMMABLE

Materiali · *Materials*
alluminio, policarbonato, PVC ·
aluminum, polycarbonate, PVC

Peso · *Weight* 7,3 Kg

Finiture *Finishes*	Colori *Colors*
panama · *panama*	F6468022
green wall · *green wall*	F6468041



ROMEO OUTDOOR/INDOOR C3 910MM

Philippe Starck, 2007

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-240V


A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 21W E27 2450lm 3000K [e] cod. RF26998 DIMMABLE

Materiali · *Materials*
alluminio, policarbonato, PVC ·
aluminum, polycarbonate, PVC

Peso · *Weight* 7,5 Kg

Finiture *Finishes*	Colori *Colors*
panama · *panama*	F6468022
green wall · *green wall*	F6468041



ROMEO SOFT F

Philippe Starck, 1998

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
tessuto, vetro, acciaio, alluminio · *fabric, glass, steel, aluminum*

Peso · *Weight* 16,8 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
tessuto · *fabric*	F6109007

p. 180

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



ROMEO SOFT T1

Philippe Starck, 1998

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-240V

Fonte luminosa (disponibile) ·
Light source (available)

A+ → E

1 x MAX 150W E27 HSGS 2870lm 2900K [e] cod. RF20358 o · *or* 1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Materiali · *Materials*
tessuto, vetro, acciaio, alluminio · *fabric, glass, steel, aluminum*

Peso · *Weight* 5,3 Kg DIMMER INCLUDED

Finiture *Finishes*: tessuto · *fabric*

Colori *Colors*: F6107007

p. 101



ROSY ANGELIS

Philippe Starck, 1994

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-240V

Fonte luminosa (disponibile) ·
Light source (available)

A+ → E

1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE


Materiali · *Materials*
tessuto, alluminio · *fabric, aluminum*

Peso · *Weight* 1,6 Kg DIMMER INCLUDED

Finiture *Finishes*: grigio · *grey*

Colori *Colors*: F6160020

p. 179



SAWARU

Nendo, 2018

Potenza · *Power* 45W

Materiali · *Materials*
alluminio estruso · *extruded aluminium*

Peso · *Weight 4* Kg DIMMER INCLUDED

Finiture *Finishes*:
- bianco · *white* — F6640009
- nero · *black* — F6640030
- oro · *glod* — F6640044
- blu grey · *blu grey* — F6640003

p. 129



SERENA

Patricia Urquiola, 2015

Potenza · *Power* 13W

Tensione · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 13W 643lm 2700K CRI 90 [i]
DIMMABLE

Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 1,25 Kg DIMMER INCLUDED

Finiture *Finishes*:
- rame · *copper* — F6582015
- alluminio · *aluminum* — F6582054
- nero · *black* — F6582030

p. 63

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



SKYGARDEN 1

Marcel Wanders, 2007

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 15W E27 1515lm 3000K* [e] cod. RF28367

Materiali · *Materials*
gesso, vetro, acciaio inox · *plaster, glass, stainless steel*

Peso · *Weight* 13 Kg

Finiture *Finishes*	Colori *Colors*
oro · *gold*	F0001044
ruggine · *rusty brown*	F0001047
bianco · *white*	F0001009
nero · *black*	F0001030
nero opaco · *matt black*	F0001031

p. 228



SKYGARDEN 2

Marcel Wanders, 2007

Potenza · *Power* MAX 230W

Tensione · *Voltage* 220-250V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
1 LED 15W E27 1020lm 3000K* [e] cod. RF28367 o · *or* 1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE

Materiali · *Materials*
gesso, vetro, acciaio inox · *plaster, glass, stainless steel*

Peso · *Weight* 29 Kg

Finiture *Finishes*	Colori *Colors*
oro · *gold*	F0002044
ruggine · *rusty brown*	F0002047
bianco · *white*	F0002009
nero · *black*	F0002030
nero opaco · *matt black*	F0001031

p. 228



SKYGARDEN RECESSED

Marcel Wanders, 2009

Potenza · *Power* MAX 60W

Tensione · *Voltage* 230-240V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
1 x 60W GY 6.35 12V HSGS 1650lm 2700K[e] cod. RF19578 Trasformatore incluso · *Included Transofmer*

Materiali · *Materials*
gesso, vetro, acciaio inox · *plaster, glass, stainless steel*

Peso · *Weight* 4,0 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F6430009

p. 299



SKYGARDEN RECESSED

Marcel Wanders, 2009

Potenza · *Power* MAX 40W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 3W G9 290lm 2700K* [e] cod. 28425 o · *or* 1 LED 2W G9 240lm 2700K* [e] cod. RF26520

Materiali · *Materials*
gesso, vetro, acciaio inox · *plaster, glass, stainless steel*

Peso · *Weight* 4,0 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F6433009

p. 299

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



SMITHFIELD C

Jasper Morrison, 2009

Potenza · *Power* MAX 230W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 x MAX 230W R7s 5000lm 2950K [e]
cod. RF19252 DIMMABLE

Materiali · *Materials*
alluminio, metacrilato · *aluminum, methacrylate*

Peso · *Weight* 5 Kg

Finiture *Finishes*	Colori *Colors*
nero · *black*	F1362030
nero opaco · *matt black*	F1362031
bianco · *white*	F1362009
mud · *mud*	F1362021

p. 283



SMITHFIELD C LED

Jasper Morrison, 2009

Potenza · *Power* 30W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
108 LED 30W 2700K 2791lm CRI90
[i]

Materiali · *Materials*
alluminio, metacrilato · *aluminum, methacrylate*

Peso · *Weight* 5 Kg

Finiture *Finishes*	Colori *Colors*
nero · *black*	F1366030
nero opaco · *matt black*	F1366031
bianco · *white*	F1366009
mud · *mud*	F1366021
nero · *black*	F1368030 DALI
nero opaco · *matt black*	F1368031 DALI
bianco · *white*	F1368009 DALI
mud · *mud*	F1368021 DALI

p. 283



SMITHFIELD S

Jasper Morrison, 2009

Potenza · *Power* MAX 230W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 x MAX 230W R7s 5000lm 2950K [e]
cod. RF19252 DIMMABLE

Materiali · *Materials*
alluminio, metacrilato · *aluminum, methacrylate*

Peso · *Weight* 5 Kg

Finiture *Finishes*	Colori *Colors*
nero · *black*	F1360030
nero opaco · *matt black*	F1360031
bianco · *white*	F1360009
mud · *mud*	F1360021

p. 254



SMITHFIELD S LED

Jasper Morrison, 2009

Potenza · *Power* 30W

Tensione · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
108 LED 30W 2700K 2791lm CRI90
[i]

Materiali · *Materials*
alluminio, metacrilato · *aluminum, methacrylate*

Peso · *Weight* 5 Kg

Finiture *Finishes*	Colori *Colors*
nero · *black*	F1367030
nero opaco · *matt black*	F1367031
bianco · *white*	F1367009
mud · *mud*	F1367021
nero · *black*	F1369030 DALI
nero opaco · *matt black*	F1369031 DALI
bianco · *white*	F1369009 DALI
mud · *mud*	F1369021 DALI

p. 254

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



SNOOPY

Achille and Pier Giacomo Castiglioni, 1967

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o · *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE o · *or* 1 LED 8,5W E27 806lm 2200-2700K [e] cod. RF26360 DIMMABLE

Finiture *Finishes*
nero · *black*
verde · *green*

Colori *Colors*
F6380030
F6380039

Materiali · *Materials*
marmo, metallo · *marble, metal*

p. 96

Peso · *Weight* 7,9 Kg DIMMER INCLUDED



SPLÜGEN BRÄU

Achille and Pier Giacomo Castiglioni, 1961

Potenza · *Power* MAX 70W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 560lm 2700K [e] cod. RF25569 DIMMABLE

Finiture *Finishes*
alluminio · *aluminum*

Colori *Colors*
F6500000

Materiali · *Materials*
alluminio · *aluminum*

p. 222

Peso · *Weight* 1,5 Kg



SPUN LIGHT F

Sebastian Wrong, 2003

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

Finiture *Finishes*
bianco · *white*
nero · *black*
mud · *mud*

Colori *Colors*
F6612009
F6612030
F6612021

Materiali · *Materials*
metallo, alluminio · *metal, aluminum*

p. 176

Peso · *Weight* 9,3 Kg DIMMER INCLUDED



SPUN LIGHT T1

Sebastian Wrong, 2003

Potenza · *Power* MAX 150W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

Finiture *Finishes*
bianco · *white*
nero · *black*
mud · *mud*

Colori *Colors*
F6610009
F6610030
F6610021

Materiali · *Materials*
metallo, alluminio · *metal, aluminum*

p. 118

Peso · *Weight* 4,3 Kg DIMMER INCLUDED

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



SPUN LIGHT T2

Sebastian Wrong, 2003

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 21W E27 2452lm 3000K [e]
cod. RF26998 DIMMABLE

Finiture
Finishes

bianco · *white*
nero · *black*
mud · *mud*

Colori
Colors

F6611009
F6611030
F6611021

Materiali · *Materials*
metallo, alluminio · *metal, aluminum*

Peso · *Weight* 5,6 Kg DIMMER INCLUDED

p. 118



STRING LIGHT TESTA A CONO · CONE HEAD

Michael Anastassiades, 2014

Potenza · *Power* 21W

Tensione · *Voltage* 100-240V/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 LED ARRAY 21W 2700K 1033lm
CRI93 [i] DIMMABLE - BLUETOOTH CONTROL

Finiture
Finishes

nero · *black*
nero · *black*

Colori
Colors

F6481030 CAVO 12 mt.
F6491030 CAVO 22 mt.

Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 0,95 Kg (12 mt.) - 1,05 Kg (22 mt.) DIMMER INCLUDED

p. 207



STRING LIGHT TESTA A SFERA · SPHERE HEAD

Michael Anastassiades, 2014

Potenza · *Power* 21W

Tensione · *Voltage* 100-240V/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 LED ARRAY 21W 2700K 1345lm
CRI93 [i] DIMMABLE - BLUETOOTH CONTROL

Finiture
Finishes

nero · *black*
nero · *black*

Colori
Colors

F6480030 CAVO 12 mt.
F6490030 CAVO 22 mt.

Materiali · *Materials*
alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 1,15 Kg (12 mt.) - 1,25 Kg (22 mt.) DIMMER INCLUDED

p. 207



STRING LIGHT

ACCESSORI · ACCESSORIES

Tensione · *Voltage* 100-240V/48V

Descrizione · *Description*
Rosone da parete o soffitto per l'installazione di massimo 2 teste con tre possibili vie di uscita · *Wallrose. Feed up 2 heads maximum; 3 wayout for cables. Wall or ceiling installation*

Finiture
Finishes

nero · *black*

Colori
Colors

F6482030

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



STRING LIGHT

ACCESSORI · ACCESSORIES

Tensione · *Voltage* 100-240V/48V

Descrizione · *Description*
"Floor Switch" per l'installazione di massimo due teste con due possibili vie di uscita per il cavo. Alloggio interno per arrotolare 10 metri di cavo · *Floor Switch. Feed up two heads maximum; Two wayout for cables. Space to wrap 10 meters cable*

Finiture *Finishes*
nero · *black*

Colori *Colors*
F6484030



STRING LIGHT

ACCESSORI · ACCESSORIES

Descrizione · *Description*
Cavo di connessione supplementare per comporre configurazioni personalizzate · *Extra connection cable to compose personal configurations*

Finiture *Finishes*
nero · *black*

Colori *Colors*
F6485030



STYLOS

Achille Castiglioni, 1984

Potenza · *Power* 1 x MAX 120W + 1 x MAX 100W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 x MAX 120W E27 PAR 38 872lm 2700K [i] cod. RF24480 DIMMABLE + 1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE
Doppia accensione · *Double switch*

Materiali · *Materials*
polimetilmetacrilato, acciaio · *polymethylmethacrylate, steel*

Peso · *Weight* 9,6 Kg

Finiture *Finishes*
argento · *silver*

Colori *Colors*
F6310004

p. 155



SUPERARCHIMOON

Philippe Starck, 2000

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

Materiali · *Materials*
tessuto, vetro, acciaio, alluminio · *fabric, glass, steel, aluminum*

Peso · *Weight* 91 Kg DIMMER INCLUDED

Finiture *Finishes*
tessuto · *fabric*

Colori *Colors*
F6366020

p. 182

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



SUPERARCHIMOON OUTDOOR/INDOOR

Philippe Starck, 2007

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-240V

A+ → E


Fonte luminosa (disponibile) ·
Light source (available)
1 LED 21W E27 2450lm 3000K [e]
cod. RF26998 DIMMABLE

Materiali · *Materials*
alluminio, policarbonato, PVC ·
aluminum, polycarbonate, PVC

Peso · *Weight* 161,70 Kg DIMMER INCLUDED

IP 65

Finiture *Finishes*	Colori *Colors*
panama · *panama*	F6367022
green wall · *green wall*	F6367041



SUPERLOON

Jasper Morrison, 2015

Potenza · *Power* 45W

Tensione · *Voltage* 100-240V/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
EDGE LIGHTING 45W 2716lm
2200/2800K CRI80 [i] DIM TO WARM

Materiali · *Materials*
alluminio, PMMA · *aluminum, PMMA*

Peso · *Weight* 11 Kg DIMMER INCLUDED

IP 20 PENDING

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F6630009
nero · *black*	F6630030
cromo · *chrome*	F6630057

p. 141



TAB F

E. Barber & J. Osgerby, 2011

Potenza · *Power* 9W

Tensione · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
14 LED 9W 347lm 3000K CRI80 [i]

Materiali · *Materials*
alluminio, PMMA · *aluminum, PMMA*

Peso · *Weight* 2 Kg

IP 20

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F6561009
nero · *black*	F6561030

p. 162



TAB T

E. Barber & J. Osgerby, 2011

Potenza · *Power* 9W

Tensione · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
14 LED 9W 347lm 3000K CRI80 [i]

Materiali · *Materials*
alluminio, PMMA · *aluminum, PMMA*


Peso · *Weight* 0,8 Kg

IP 20 PENDING

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F6560009
nero · *black*	F6560030

p. 92

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



TACCIA

Achille and Pier Giacomo Castiglioni, 1962

Potenza · *Power* 28W

Tensione · *Voltage* 100-240V/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 COB LED 28W 2700K CRI93 [i]
DIMMABLE

Finiture
Finishes

argento · *silver*
nero · *black*
bronzo · bronze


Colori
Colors

F6602004
F6602030
F6602046

Materiali · *Materials*
vetro, alluminio · *glass, aluminum*

p. 86

Peso · *Weight* 15,3 Kg DIMMER INCLUDED



TACCIA (PMMA)

Achille and Pier Giacomo Castiglioni, 1962

Potenza · *Power* 28W

Tensione · *Voltage* 100-240V/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 COB LED 28W 2700K CRI93 [i]
DIMMABLE

Finiture
Finishes

argento · *silver*
nero · *black*
bronzo · bronze

Colori
Colors

F6607004
F6607030
F6607046

Materiali · *Materials*
PMMA, alluminio · *PMMA, aluminum*

p. 86

Peso · *Weight* 7,6 Kg DIMMER INCLUDED



TACCIA SMALL

Achille and Pier Giacomo Castiglioni, 1962

Potenza · *Power* 16W

Tensione · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 COB LED 16W 2700K CRI92 [i]
DIMMABLE

Finiture
Finishes

argento · *silver*
nero · *black*
bronzo · bronze
viola · violet


Colori
Colors

F6604004
F6604030
F6604046
F6604042

Materiali · *Materials*
vetro, alluminio · *glass, aluminum*

p. 86

Peso · *Weight* 4,25 Kg DIMMER INCLUDED



TARAXACUM 1

Achille and Pier Giacomo Castiglioni, 1960

Potenza · *Power* MAX 100W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535
DIMMABLE

Finiture
Finishes

bianco · *white*

Colori
Colors


F7401009

Materiali · *Materials*
cocoon, acciaio · *cocoon, steel*

p. 234

Peso · *Weight* 2,1 Kg

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



TARAXACUM 2

Achille and Pier Giacomo Castiglioni, 1960

Potenza · *Power* MAX 100W

Tensione · *Voltage* 220-250V

Fonte luminosa (disponibile) · *Light source (available)*

A+ → E 1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMABLE


Materiali · *Materials*
cocoon, acciaio · *cocoon, steel*

Peso · *Weight* 2,8 Kg

Finiture *Finishes*: bianco · *white*

Colori *Colors*: F7402009

p. 234



TARAXACUM 88 C/W

Achille Castiglioni, 1988

Potenza · *Power* 15 x MAX 40W

Tensione · *Voltage* 220-250V

Fonte luminosa (disponibile) · *Light source (available)*

A+ → E 15 LED 3W E27 170lm 2500K [e] cod. RF24894 DIMMABLE o · *or* 15 LED 3W E27 170lm 2500K [e] cod. RF27119 DIMMABLE

Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 2,3 Kg

Finiture *Finishes*: alluminio · *aluminum*

Colori *Colors*: F7420000

p. 294



TARAXACUM 88 S1

Achille Castiglioni, 1988

Potenza · *Power* 60 x MAX 40W

Tensione · *Voltage* 220-250V

Fonte luminosa (disponibile) · *Light source (available)*

A+ → E 60 LED 3W E27 170lm 2500K [e] cod. RF24894 DIMMABLE o · *or* 60 LED 3W E27 170lm 2500K [e] cod. RF27119 DIMMABLE


Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 10,6 Kg

Finiture *Finishes*: alluminio · *aluminum*

Colori *Colors*: F7430000

p. 214



TARAXACUM 88 S2

Achille Castiglioni, 1988

Potenza · *Power* 120 x MAX 40W

Tensione · *Voltage* 220-250V

Fonte luminosa (disponibile) · *Light source (available)*

A+ → E 120 LED 3W E27 170lm 2500K [e] cod. RF24894 DIMMABLE o · *or* 120 LED 3W E27 170lm 2500K [e] cod. RF27119 DIMMABLE

Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 14,2 Kg


Finiture *Finishes*: alluminio · *aluminum*

Colori *Colors*: F7440000

p. 214

Prodotto su richiesta
Made on demand

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



TATOU F

Patricia Urquiola, 2012

Potenza · *Power* MAX 205W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 21W E27 2452lm 3000K [e]
cod. RF26998 DIMMABLE

Finiture *Finishes*

Colori *Colors*

bianco · *white*	F7764009
nero · *black*	F7764030
grigio ocra · *ochre-grey*	F7764048

Materiali · *Materials*
policarbonato, acciaio · *polycarbonate, steel*

p. 148

Peso · *Weight* 16,4 Kg DIMMER INCLUDED



TATOU S1

Patricia Urquiola, 2012

Potenza · *Power* MAX 70W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o • *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Finiture *Finishes*

Colori *Colors*

bianco · *white*	F7762009
nero · *black*	F7762030
grigio ocra · *ochre-grey*	F7762048

Materiali · *Materials*
policarbonato · *polycarbonate*

p. 219

Peso · *Weight* 1,2 Kg



TATOU S2

Patricia Urquiola, 2012

Potenza · *Power* MAX 205W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 21W E27 2452lm 3000K [e]
cod. RF26998 DIMMABLE

Finiture *Finishes*

Colori *Colors*

bianco · *white*	F7766009
nero · *black*	F7766030
grigio ocra · *ochre-grey*	F7766048

Materiali · *Materials*
policarbonato · *polycarbonate*

p. 219

Peso · *Weight* 4,7 Kg



TATOU T1

Patricia Urquiola, 2012

Potenza · *Power* MAX 70W

Tensione · *Voltage* 220-240V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 8W E27 740lm 3000K [e] cod. RF25317 DIMMABLE o • *or* 1 LED 8W E27 740lm 2700K [e] cod. RF25323 DIMMABLE

Finiture *Finishes*

Colori *Colors*


bianco · *white*	F7761009
nero · *black*	F7761030
grigio ocra · *ochre-grey*	F7761048

Materiali · *Materials*
policarbonato · *polycarbonate*

p. 103

Peso · *Weight* 2,7 Kg DIMMER INCLUDED

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



TIGHT LIGHT

Piero Lissoni, 2011

Potenza · *Power* 20W

Tensione · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) · *Light source (available)*
48 TOP LED 2x10W 1989lm total
3000K CRI80 [i]

Materiali · *Materials*
PMMA, alluminio · *PMMA, aluminum*

Peso · *Weight* 1,1 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	◯ F0011009

p. 309



TILEE

Marcello Ziliani, 2005

Potenza · *Power* MAX 60W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 3W G9 290lm 2700K* [e] cod. 28425 o · *or* 1 LED 2W G9 240lm 2700K* [e] cod. RF26520

Materiali · *Materials*
vetro, zama · *glass, zamak*

Peso · *Weight* 0,8 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	◯ F7460009



TOIO

Achille and Pier Giacomo Castiglioni, 1962

Potenza · *Power* MAX 300W

Tensione · *Voltage* 220-240V

A+ → D

Fonte luminosa (disponibile) · *Light source (available)*
1 x 300W aluPAR 56 MFL 3000K [i] cod. RF17899 DIMMABLE o · *or* 1 LED 23W PRO PAR 56 1600lm 3000K [e] cod. RF27690 DIMMABLE

Materiali · *Materials*
acciaio · *steel*

Peso · *Weight* 8,2 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco · *white*	◯ F7600009
nero · *black*	● F7600030
rosso · *red*	● F7600035

p. 174



WAN C/W

Johanna Grawunder, 2005

Potenza · *Power* MAX 40W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x 2,3W G9 HSGS 460lm 2700K* [e] cod. RF18863

Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 0,4 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	◯ F9550009
nero · *black*	● F9550030

p. 298

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



WAN S

Johanna Grawunder, 2006

Potenza · *Power* MAX 40W

Tensione · *Voltage* 220-250V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
1 x 2,3W G9 HSGS 460lm 2700K* [e]
cod. RF18863

Materiali · *Materials*
alluminio · *aluminum*

Peso · *Weight* 0,6 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F9560009
nero · *black*	F9560030

p. 227



WIRERING

Formafantasma, 2018

Potenza · *Power* 16W

Tensione · *Voltage* 24V

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) · *Light source (available)*
180 LED 16W 2700K 712lm CRI90 [i]
DIMMABLE

Materiali · *Materials*
alluminio - gomma - PC · *aluminum - rubber - PC*

Peso · *Weight* 0,945 Kg DIMMER INCLUDED

Finiture *Finishes*	Colori *Colors*
bianco/bianco · *white/white*	F9512009
bianco/grigio · *white/grey*	F9512020
bianco/nero · *white/black*	F9512030
bianco/rosa · *white/pink*	F9512034
bianco/oro · *white/gold*	F9512044
grigio/bianco · *grey/white*	F9513009
grigio/grigio · *grey/grey*	F9513020
grigio/nero · *grey/black*	F9513030
grigio/rosa · *grey/pink*	F9513034
grigio/oro · *grey/gold*	F9513044
rosa/bianco · *pink/white*	F9514009
rosa/grigio · *pink/grey*	F9514020
rosa/nero · *pink/black*	F9514030
rosa/rosa · *pink/pink*	F9514034
rosa/oro · *pink/gold*	F9514044

p. 268



VISCONTEA

Achille and Pier Giacomo Castiglioni, 1960

Potenza · *Power* MAX 100W

Tensione · *Voltage* 220-250V

A+ → E


Fonte luminosa (disponibile) · *Light source (available)*
1 LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMABLE o · *or* 1 LED 13W E27 1400lm 3000K [e] cod. RF25535
DIMMABLE

Materiali · *Materials*
cocoon, acciaio · *cocoon, steel*

Peso · *Weight* 1,7 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F8001009

p. 236



ZEPPELIN 1

Marcel Wanders, 2005

Potenza · *Power* MAX 250W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 LED 21W E27 2452lm 3000K [e]
cod. RF26998 DIMMABLE


Materiali · *Materials*
cocoon, acciaio, cristallo · *cocoon, steel, crystal*

Peso · *Weight* 15 Kg

Finiture *Finishes*	Colori *Colors*
bianco · *white*	F9800009

p. 256

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



ZEPPELIN 2

Marcel Wanders, 2005

Potenza · *Power* 3 x MAX 150W

Tensione · *Voltage* 220-250V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
3 LED 21W E27 2452lm 3000K [e]
cod. RF26998 DIMMABLE

Finiture *Finishes*: bianco · *white*


Colori *Colors*: F9805009

Materiali · *Materials*
cocoon, acciaio, cristallo · *cocoon, steel, crystal*

p. 256

Prodotto su richiesta
Made on demand

Peso · *Weight* 30 Kg



ABAJOURD'HUI SMALL

Flos Soft Architecture

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 x MAX 75W E27 QT-32 [e]


Finiture *Finishes*: cartongesso · *plaster*

Colori *Colors*: SA.5001.1

Materiali · *Materials*
installazione su cartongesso · *plaster installation*

p. 310

Peso · *Weight* 8,25 Kg



ABAJOURD'HUI LARGE

Flos Soft Architecture

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 x MAX 150W E27 QT-32 [e]


Finiture *Finishes*: cartongesso · *plaster*

Colori *Colors*: SA.5000.1

Materiali · *Materials*
installazione su cartongesso · *plaster installation*

p. 310

Peso · *Weight* 16,25 Kg



SOFT SPUN SMALL FL

Flos Soft Architecture

A

Fonte luminosa (disponibile) ·
Light source (available)
2 x 18W 2G11 [e] Ballast elettronico ·
Electronic Ballast

Finiture *Finishes*: cartongesso · *plaster*


Colori *Colors*: SA.5004.1

Materiali · *Materials*
installazione su cartongesso · *plaster installation*

p. 312

Peso · *Weight* 8,5 Kg

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



SOFT SPUN SMALL HL

Flos Soft Architecture

Finiture *Finishes*: cartongesso · *plaster*

Colori *Colors*: SA.5005.1


A+ → E

Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 120W R7s QT-DE-12 [e]

Materiali · *Materials*
installazione su cartongesso · *plaster installation*

p. 312

Peso · *Weight* 8,5 Kg



SOFT SPUN SMALL LED

Flos Soft Architecture

Finiture *Finishes*: cartongesso · *plaster*

Colori *Colors*: SA.5006.1B


LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) · *Light source (available)*
1 LED WHITE 35W 1800lm 3000K CRI90 [i] Driver elettronico · *Electronic Driver*

Materiali · *Materials*
installazione su cartongesso · *plaster installation*

p. 312

Peso · *Weight* 8,5 Kg



SOFT SPUN LARGE FL

Flos Soft Architecture

Finiture *Finishes*: cartongesso · *plaster*

Colori *Colors*: SA.5008.1


A

Fonte luminosa (disponibile) · *Light source (available)*
2 x 24W 2G11 TC-L (diff.) [e]
Ballast elettr. · *Elect. Ballast*
+ 1 LED 1.4W 80lm 2700K CRI>90 (base) [i] Driver elettronico · *Electronic Driver*

Materiali · *Materials*
installazione su cartongesso · *plaster installation*

p. 312

Peso · *Weight* 17 Kg



SOFT SPUN LARGE HL

Flos Soft Architecture

Finiture *Finishes*: cartongesso · *plaster*

Colori *Colors*: SA.5009.1

A

LED INCLUDED
NOT REPLACEABLE


Fonte luminosa (disponibile) · *Light source (available)*
1 x MAX 160W R7s QT-DE (diff.) [e] + 1 LED 1.4W 80lm 2700K CRI>90 (base) [i] Driver elettronico · *Electronic Driver*

Materiali · *Materials*
installazione su cartongesso · *plaster installation*

p. 312

Peso · *Weight* 17 Kg

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*



SOFT SPUN LARGE LED

Flos Soft Architecture

Finiture *Finishes*

cartongesso · *plaster*

Colori *Colors*

◯ SA.5007.1B

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 LED WHITE 35W 1800lm 3000K
CRI90 (diff.) [i] Driver elettr. · *Elect. Driver*
+ 1 LED WHITE 1,4W 80lm 2700K
CRI>90 (base) [i] Driver elettr. · *Elect. Driver*

Materiali · *Materials*
installazione su cartongesso · *plaster installation*

p. 312

Peso · *Weight* 17 Kg

CE IP20

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*

CLASSIFICAZIONE E MARCHI DI CERTIFICAZIONE · CLASSIFICATION & HOMOLOGATIONS

Classi di isolamento delle lampade · *Luminaires classification*



Classe I: lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore sistema di sicurezza che consiste nel collegamento dei componenti conduttivi accessibili a un conduttore di sicurezza (messa a terra) facente parte dell'impianto elettrico fisso · *Class I: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of connecting the accesible conductive parts to a safety conductor (earth)*



Classe II: Lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore misura di sicurezza che consiste in un doppio isolamento rinforzato senza dispositivi per la messa a terra · *Class II: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of double reinforced insulation without conductive parts to a safety conductor (earth)*



Classe III: Lampada la cui protezione contro la scarica elettrica si basa su un sistema a bassissima tensione, che non viene mai superata. Una lampada di Classe III non deve mai essere fornita con la messa a terra · *Class III: Luminaire in which protection against electrical shocks is based on the very low safety supply voltage and no voltages are produced higher than this. A Class III luminaire must never be provided with earthing*

Omologazioni · *Homologations*

CE

Tutte le lampade prodotte e presentate in questo programma sono state realizzate in conformità con la Norma Europea EN 60 598 e sono pertanto conformi ai requisiti definiti nella Direttiva CEE 73/23 (Direttiva di Bassa Tensione). La loro realizzazione garantisce anche la conformità alla Direttiva 89/336 per quanto concerne la Compatibilità Elettromagnetica. Tutti i prodotti rientranti nel campo di applicazione delle suddette Direttive riportano la marcatura CE, che ne attesta la conformità ai relativi requisiti · *All lamps manufactured and illustrated in this catalog comply with European Standard EN 60 598 and consequently meet the requirements set forth in Directive 73/23 EEC (Low Voltage Directive). They also comply with Directive 89/336 covering electromagnetic compatibility. All products falling under the scope of the above-mentioned Directives bear the CE mark as proof of their compliance with the respective requirements*



La presenza del marchio ENEC sul prodotto conferma l'adempimento della Normativa Europea e garantisce l'affidabilità del sistema organizzativo e produttivo responsabile della fabbricazione del prodotto, attraverso un ente di certificazione accreditato. Il marchio ENEC conferma il nostro impegno ed è la migliore garanzia in tema di sicurezza e qualità di tutti i nostri prodotti · *The ENEC mark on the product stands for the compliance of European Standard as well as a trustworthy organisation and product system and is guaranteed by an accredited certification body. This agreed mark stands for our engagement and represents the best guarantee in security and quality matter of our products*





L'Associazione Spagnola di Normalizzazione e Certificazione AENOR certifica che il Sistema di garanzia di qualità adottato dalla Antares Iluminación S. A. soddisfa i requisiti della Norma Europea EN ISO 9001: Sistema di Qualità.· *The Spanish Association for Standards and Certification AENOR, certifies that quality assurance system adopted by Antares Iluminación, S.A. complies with the requirements of the standard UNE-EN ISO-9001 Quality Systems.*

GRADO DI PROTEZIONE · DEGREE OF PROTECTION

IP 20	Indice di protezione contro la penetrazione di corpi solidi e di liquidi · *Protection degree offered by the fixture to the ingress of solids and liquids*
IP **2**0	1a cifra, protezione contro la penetrazione dei corpi solidi: 0 Nessuna protezione - 1 Protezione contro i corpi solidi di dimensioni superiori a 50mm - 2 Protezione contro i corpi solidi di dimensioni superiori a 12mm - 3 Protezione contro i corpi solidi di dimensioni superiori a 2,5mm - 4 Protezione contro i corpi solidi di dimensioni superiori a 1mm - 5 Protezione contro la polvere - 6 Totalmente protetto contro la polvere · *1st figure, protection against penetration by solid bodies: 0 No protection - 1 Protected against solid bodies over 50 mm in diameter - 2 Protected against solid bodies over 12 mm in diameter - 3 Protected against solid bodies over 2,5 mm in diameter - 4 Protected against solid bodies over 1 mm in diameter - 5 Protected against dust - 6 Fully protected against dust*
IP 2**0**	2a cifra, protezione contro l'infiltrazione di acqua: 0 Nessuna protezione - 1 Protezione contro la caduta in verticale di gocce d'acqua - 2 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 15° - 3 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 60° - 4 Protezione contro gli spruzzi d'acqua - 5 Protezione contro i getti d'acqua - 6 Protezione contro le ondate d'acqua - 7 Protezione contro l'immersione - 8 Protezione contro l'immersione prolungata · *2nd figure, protection against penetration by water: 0 No protection - 1 Protected against drops of water falting vertically - 2 Protected against drops of water at a max. inclination of 15 degrees - 3 Protected against drops of water at a max. inclination of 60 degrees - 4 Protected against splashed of water - 5 Protected against jets of water - 6 Protected against waves - 7 Protected against immersión - 8 Protected against long term immersión*

Simbologia · *Pictography*

	Apparecchio idoneo per essere installato su superfci normalmente infiammabili · *Luminaire with builtin power packs or transformers, suitable for mounting directy onto normally inflammable surfaces*
	Distanza minima dagli oggetti illuminati · *Minimum distance from illuminated objects*

In conformità con quanto previsto dal Regolamento 874/2012/EU, integrazione della Direttiva 2010/30/UE e relativo all'etichettatura indicante il consumo d'energia delle lampade elettriche e la compatibilità degli apparecchi di illuminazione con le diverse fonti luminose (integrate o con questi compatibili), Flos S.p.A. ha inserito le etichette richieste, in formato elettronico, sul proprio sito (www.flos.com) nell'area relativa ai prodotti. Le modalità per scaricare le etichette, nelle diverse lingue previste a livello comunitario, sono le seguenti: • Selezionare la collezione/il prodotto di interesse (per esempio http://www.flos.com/decorative/en/products/floor/Arco) • Cliccare "Vedi scheda tecnica" • Cliccare "Print Energy Label" • Selezionare la lingua e stampare l'etichetta · *In accordance with the provisions of Regulation 874/2012/EU and integration of the Directive 2010/30/EU concerning labeling indicating the energy consumption of electric lamps and the compatibility of lighting appliances with different light sources (integrated or compatible with these), Flos SpA has inserted the required labels, in electronic form, on its website (www.flos.com) in the area relating to products. The methods to download the labels in different languages envisaged at Community level are as follows: • Choose the collection/product you are interested in (for ex: http://www.flos.com/decorative/en/products/floor/Arco) • Click on "see specs sheet" • Click on "Print Energy Label" • Select the language and print the label*

WHERE TO FIND US

La nostra rete internazionale di distributori, flagship store e showroom
Our international network of distributors, flagship stores and showrooms

ITALY

Flos Spa
Via Angelo Faini, 2
25073 Bovezzo (Brescia)
Tel +39 0302438.1
info@flos.com

SPAIN

Antares Iluminación s.a.u.
Calle Mallorca, 1 Polígono Industrial Reva
46394 Ribarroja (Valencia)
Tel +34 96 166 95 20
flos.architectural@flos.com

ITALY

Ares srl
Via dell'Artigianato, 24
20881 Bernareggio (Monza)
Tel +39 0396900892
flos.outdoor@flos.com

HEADQUARTERS

BELGIUM & LUXEMBOURG
Flos Belux
M +32 474 413 485
flosbelux@flos.com

FRANCE
Flos Projets
20-22, passage Dauphine
75006 Paris
Tel +33 (0)1 40 64 17 44
flos.projets@flos.com

GERMANY
Flos Gmbh
Obermünsterstraße 18
93047 Regensburg
Tel +49-941-630837-00
info@flos-gmbh.de

UNITED KINGDOM
Atrium Ltd offices & showroom
28 Leonard Street
EC2A 4BY London
Tel +44 (0)20 7681 9933
flos@atrium.ltd.uk

DENMARK
Flos Scandinavia A/S
Sydhavnsgade 28
DK-2450 København SV
Tel +45 (0) 3388 60 00
info@flos.dk

NORWAY
Flos Norge A/S
Drammensveien 120
N-0277 Oslo
Tel +47 (0) 2212 86 00
info@flos.no

THE NETHERLANDS
Flos BV
Cruquiusweg 109QS
1019 AG Amsterdam
Tel +31 (0) 20 560 50 60
flosnetherlands@flos.com

U. S. A.
Flos USA Inc.
110 York Street
5th Floor
Brooklyn, NY 11201
Tel +1 (718) 875-3472
info@flosusa.com

JAPAN
Flos Co., Ltd.
PMC Building 9F
1-23-5 Higashiazabu
Minato-Ku
Tokyo 104-0044
Tel +81 (0) 3 35 82 14 68
info@flosjapan.com

FAR EAST
Flos Representative Office
1, Commonwealth Lane #08-12
149544 Singapore
Tel +65 (0) 6372 1495
flosasia@flos.com

CHINA
Flos Illumination
(Shanghai) Co. Ltd
Unit 101, Floor 1, building B9
No. 800 of Chang De road
Jing An District
Shanghai, 200040, China
Tel +86 21 62176187
floschina@flos.com

FLAGSHIP STORES

MILANO
Corso Monforte, 9
20122 Milano
Tel +39 02 37011080
flosmilano@flos.com

ROMA
Via del Babuino, 85
00187 Roma
Tel +39 06 3207631
flosroma@flos.com

PARIS
15, rue de Bourgogne
75007 Paris
Tel +33 (0)1 53 85 49 93
shop@flos.fr

LYON
17 rue Jarente
69002 Lyon
Tel +33 478621301
lyon@flos.fr

NEW YORK
152 Greene Street,
New York, NY 10012
Tel +1 212 941 4760
info@flosusa.com

STOCKHOLM
Karlaplan
Lützengatan 1
S-115-20 Stockholm
Tel +46 (0) 8 660 4405
info@flos.se

SHOWROOMS

MILANO
Corso Monforte, 15
20122 Milano
Tel +39 02 79 84 57
contract.milano@flos.com

COPENAGHEN
Sydhavnsgade 28
DK-2450 København SV
Tel +45 (0) 3388 60 00
info@flos.dk

OSLO
Drammensveien 120
N-0277 Oslo
Tel +47 (0) 2212 86 00
info@flos.no

AMSTERDAM
Cruquiusweg 109QS
1019 AG Amsterdam
Tel +31 (0) 20 560 50 60
flosnetherlands@flos.com

TOKYO
PMC Building 9F
1-23-5 Higashiazabu Minato-Ku
Tokyo 104-0044
Tel +81 (0) 3 35 82 14 68
info@flosjapan.com

PARIS
Flos Projets
20-22, passage Dauphine
75006 Paris
Tel +33 (0)1 40 64 17 44
flos.projets@flos.com

CREDITS

EDITION
November 2019 © 2019 All rights reserved

ART DIRECTION
Stefanie Barth & Carina Frey

DESIGN
Guido Tamino

STILL LIFE PHOTOGRAPHY
Frank Hülsbömer

IN PLACE PHOTOGRAPHY
Florian Boehm, Germano Borrelli, Beppe Brancato, Santi Caleca Studio Casali, Monica Castiglioni, Cesare Colombo, Ramak Fazel, Francesca Ferrari, Luciano Ferri, Vincenzo Flore, Stefano Galuzzi, Giovanni Gastel, Zoë Ghertner, Stefania Giorgi, Frank Hülsbömer, Philippe Jarrigeon, Nico K. Tucci, Jean Baptiste Mondino, Maria Mulas, Ugo Mulas, Maki Ochoa, Timm Rautert, Jesper Ray - House of Pictures, Tommaso Sartori, Luciano Svegliado, Leo Torri, Marco Cappelletti, Delfino Sisto Legnani

PRODUCT PHOTOS
Piero Fasanotto

ACKNOLEDGEMENTS
Fondazione Achille Castiglioni, Studio la Città - Verona, Alberto Garutti, La Mutina

PRINTING
Litopat, Verona - Italy

REF. 999006559

Flos si riserva il diritto di apportare ai propri modelli, senza alcun preavviso, qualsiasi modifica ritenesse opportuna.
Flos reserves the right to introduce any changes to its own models, without prior notice.

ALL ABOUT LIGHT

FLOS