



WD · 倍率对照表

	0.165x	0.225x	0.28x	0.375x	0.45x	0.5x	0.55x	0.6x	0.625x	0.7x	0.75x	0.8x	0.875x	0.9x	1.0x	1.1x	1.125x	1.2x	2x	2.5x	3.3x	5x		
VS-L6035/V	349.2mm (0.165X)																							
VS-L7540/V												132.6mm (0.8X)									101.5mm (1.2X)			
VS-L8540/V			345.2mm (0.28X)																					
VS-L8540-06/V								187mm (0.6X)																
VS-L12056-03/V		633.4mm (0.225X)			414.8mm (0.375X)																			
VS-L12056-05/V					417.2mm (0.375X)					285.9mm (0.625X)														
VS-L12056-075/V									284.9mm (0.625X)				228.1mm (0.875X)											
VS-L12056-1/V													228.2mm (0.875X)					196.6mm (1.125X)						
VS-L12035-05/V					360mm (0.45X)			311.5mm (0.55X)																
VS-L12035-075/V										260.3mm (0.7X)			238.9mm (0.8X)											
VS-L12035-1/V														229mm (0.9X)			204.8mm (1.1X)							
VS-L12040-2/M67S																			1,270mm (2.0X)					
VS-L12040-2.5/M67S																				115.5mm (2.5X)				
VS-L12028-3.3/M67S																					82.7mm (3.3X)			
VS-L12025-5/M67S																						78.7mm (5.0X)		


VS-L6035/V




VS-L12035-05/V



VS-L12035-075/V






VS-L12035-1/V




规格	VS-L12035-05/V			VS-L12035-075/V			VS-L12035-1/V		
焦距距离	120 mm			120 mm			120 mm		
光学倍率	0.45x	0.5x	0.55x	0.7x	0.75x	0.8x	0.9x	1.0x	1.1x
WD	360.0 mm	333.2 mm	311.5 mm	260.3 mm	248.9 mm	238.9 mm	229.0 mm	215.7 mm	204.8 mm
物像间距离O/I	554.5 mm	533.7 mm	518.0 mm	485.8 mm	480.4 mm	476.4 mm	466.5 mm	465.2 mm	466.3 mm
FNO	F 3.5 ~ 32			F 3.5 ~ 22			F 3.5 ~ 22		
实效F *光圈全开	5.1	5.3	5.4	6.0	6.1	6.3	6.7	7.0	7.4
NA	0.044	0.047	0.051	0.058	0.061	0.063	0.067	0.071	0.074
景深 允许偏差 $\phi 0.04$ mm	2.0 mm	1.7 mm	1.4 mm	1.0 mm	0.9 mm	0.8 mm	0.7 mm	0.6 mm	0.5 mm
光学失真 (Y=45)	0.05 %			0.01 %			0.05 %		
周边亮度 (Y=45)	83%			84%			84%		
像圈	$\phi 90$ mm			$\phi 90$ mm			$\phi 90$ mm		
滤镜口径	M 52 P = 0.75			M 46 P = 0.75			M 46 P = 0.75		
重量	390 g			350 g			350 g		


VS-L12035 MTF



VS-L12040-2/M67S




VS-L12040-2.5/M67S




VS-L12028-3.3/M67S

以供定制



VS-L12025-5/M67S

以供定制



规格	VS-L12040-2/M67S	VS-L12040-2.5/M67S	VS-L12028-3.3/M67S	VS-L12025-5/M67S
焦距距离	120 mm	120 mm	120 mm	116 mm
光学倍率	2.0x	2.5x	3.3x	5.0x
WD	127.0 mm	115.5 mm	82.7 mm	78.7 mm
物像间距离O/I	548.6 mm	593.2 mm	625.4 mm	818.7 mm
FNO	F 4 ~ 22	F 4 ~ 22	F 2.8 ~ 22	F 2.5 ~ 22
实效F *光圈全开	12.1	13.7	12.6	15.0
NA	0.083	0.091	0.131	0.167
景深 允许偏差 $\phi 0.04$ mm	0.2 mm	0.2 mm	0.09 mm	0.05 mm
光学失真 (Y=45)	0.07 % (Y=45)	0.04 % (Y=45)	0.04 % (Y=45)	0.03 % (Y=43.2)
周边亮度	97 % (Y=45)	98 % (Y=45)	99 % (Y=45)	100 % (Y=43.2)
像圈	$\phi 90$ mm	$\phi 90$ mm	$\phi 90$ mm	$\phi 86.4$ mm
滤镜口径	M 52 P = 0.75	M 52 P = 0.75	M 52 P = 0.75	M 52 P = 0.75
重量	680 g	670 g	950 g	960 g

