

安全技术说明书

MSDS

报告编号	WP-20032381-HJ-01C3-E	
Report No.		
品 名	漫度 ™ 次氯酸除菌液	
	Mundus Hypochlorous acid antibacterial solution	
Sample Name	Mundus Hypochlorous acid antibacterial solution	
Sample Name 委 托 单 位		





安全技术说明书 MSDS Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

页码/ Page No: 1/15

服务电话 Tel: 0512-89571807

官方网址 Web: www.weipuhj.com

Jiacheng Tech (Zhejiang) Co., Ltd.

Applicant 申请人 加乘科技(浙江)有限责任公司 Building 2, No. 2222, Gangnan Road, Kangshan Street, Economic and

Technological Development Zone, Huzhou City, Zhejiang Province.

浙江省湖州市经济技术开发区康山街道港南路 2222 号 2 幢

Jiacheng Tech (Zhejiang) Co., Ltd. 加乘科技(浙江)有限责任公司

Manufacturer

制造商

: Building 2, No. 2222, Gangnan Road, Kangshan Street, Economic and

Technological Development Zone, Huzhou City, Zhejiang Province.

浙江省湖州市经济技术开发区康山街道港南路 2222 号 2 幢

Product Name

产品名称

Mundus Hypochlorous acid antibacterial solution

漫度 TM 次氯酸除菌液

Model 型号 : /

This report is limited to the above applicant company and the product model only. 本报告仅限于以上所述的申请公司及对应的产品和型号

This Chemical Safety Technical Specification (SDS) only meets the local regulatory requirements and standards of the applicable regulation and may not meet the regulatory requirements of other countries. 本技术说明书仅证明本说明书依据相关的法律法规进行编制,并不证明足以满足其他国家或地区的要求。



安全技术说明书 **MSDS** Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

页码/ Page No: 2/15

(according to GHS Rev.3 and European Regulation No.1272/2008, No.1907/2006 and its amendments)

(根据 GHS Rev.3 和欧洲条例第 1272/2008 号、第 1907/2006 号及其修正案)

IDENTIFICATION OF PRODUCT AND SUPPLIER SECTION 1:

第一部分 化学品及企业标识

Product Identifiers 产品标识 1.1

> Mundus Hypochlorous acid antibacterial solution Product Name:

漫度 TM 次氯酸除菌液 产品名称

Model:

퓇号

Relevant identified uses of the substance or mixture and uses advised against 1.2

有关的确定了的物质或混合物的用途和建议不适合的用途

Identified uses: 标识的用途

Export to: 出口国别

Details of the supplier of the safety data sheet

1.3 化学品/材料生产商详情

> Manufacturer: Jiacheng Tech (Zhejiang) Co., Ltd. 制造商 加乘科技(浙江)有限责任公司

Building 2, No. 2222, Gangnan Road, Kangshan Street, Economic and Address:

Technological Development Zone, Huzhou City, Zhejiang Province. 地址

浙江省湖州市经济技术开发区康山街道港南路 2222 号 2 幢

TEL: ZIP Code:

17721359505 电话 邮政区号

E-Mail:

247952054@qq.com 电邮

Emergency telephone number:

应急联系电话

Weekday:

17721359505 工作日

Night& Holiday:

17721359505 夜间及节假日

SECTION 2: HAZARDS IDENTIFICATION

第二部分 危险性鉴别

GHS Risk Categories 2.1

GHS 风险类别

Non-hazardous classification

无危害分类

GHS Label elements including precautionary statements 2.2

GHS 标签要素. 包括防范说明:

Pictograms: No danger pictograph

象形图 无危险象形图

地址: 苏州工业园区唯新路 58 号东区 8 幢

Address: No. 8 East District, No. 58 Weixin Road, Suzhou Industrial Park



安全技术说明书 MSDS Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

页码/ Page No: 3/15

Signal Word: No warning word

警示词 无警示词

Risk description:

危险性说明

Precaution No 预防措施 无 No Accident response 事故响应 无 No Safe storage 安全储存 无 No Disposal 无 废弃处置

Health hazards No 健康危险 无

Environmental hazard No 环境危害

Physical and chemical hazards

物理和化学危险

No known information

无已知资料。

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

第三部分 成分/组分信息

3.1 Substance or mixture 物质或混合物的定义

Mixture 混合物

3.2

Information about the chemical nature of product

关于产品化学成分的信息

Common chemical name /general name 通用化学名称或通用名称	CAS number CAS 编号	EC Number EC 编号	Concentration/Concen tration range 浓度或浓度范围
Hypochlorous acid 次氯酸	7790-92-3	231-791-2	0.01%
Water 水	7732-18-5	232-232-5	99.99%

SECTION 4: FIRST AID MEASURES

第四部分 首要的急救措施

Description of first aid measures

首要的急救措施描述

地址: 苏州工业园区唯新路 58 号东区 8 幢 Address: No. 8 East District, No. 58 Weixin Road, Suzhou Industrial Park



安全技术说明书 MSDS Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

页码/ Page No: 4/15

Eve contact: Separate eyelids and rinse with running water or normal

saline. Seek medical attention immediately.

眼部接触 分开眼睑,用流动清水或生理盐水冲洗。立即就医。

Skin Contact: If you feel unwell, seek medical advice.

皮肤接触 如有不适感,就医。

Inhalation: If inhaled, remove victim to fresh air. 吸入 如果吸入,请将患者移到新鲜空气处。

Ingestion: Gargle, do not induce vomiting. Seek medical attention

'' immediately.

食入 漱口,禁止催吐。立即就医。

4.2 Advice to protect the rescuer

对保护施救者的忠告

Move the patient to a safe place. Consult your doctor. Show the chemical safety instruction to the doctor on the spot.

将患者转移到安全的场所。咨询医生。出示此化学品安全技术说明书给到现场的医生看。

Indication of any immediate medical attention and special treatment needed

及时的医疗处理和所需的特殊处理的说明或指示

No data available

无数据资料

SECTION 5: FIRE-FIGHTING MEASURES

第五部分 首要的消防措施

5.1 Extinguishing Media

灭火**分**质

Use water mist, dry powder, foam or carbon dioxide extinguishing agent.

用水雾、干粉、泡沫或二氧化碳灭火剂灭火。

Avoid using direct running water, which can cause a splash of flammable liquid and spread the

避免使用直流水灭火,直流水可能导致可燃性液体的飞溅,使火势扩散。

Precautions and protective measures against fire

5.2 灭火的注意事项及保护措施

Carbon oxides, Nitrogen oxides.

碳氧化物, 氮氧化物。

Fire fighters are required to wear air breathing apparatus and full body fire fighting clothing to fight the fire upwind.

消防人员须佩戴携气式呼吸器,穿全身消防服,在上风向灭火。

Remove containers from the fire as much as possible into the open.

尽可能将容器从火场移至空旷处。

Containers in the fire must be evacuated immediately if they have become discolored or sound from the safety relief device.

处在火场中的容器若已变色或从安全泄压装置中发出声音,必须马上撤离。

Isolate the scene of the accident and prohibit the entry of irrelevant personnel.

隔离事故现场,禁止无关人员进入。

地址: 苏州工业园区唯新路 58 号东区 8 幢

Address: No. 8 East District, No. 58 Weixin Road, Suzhou Industrial Park



安全技术说明书 MSDS Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

页码/ Page No: 5/15

Take in and treat fire water to prevent pollution.

收容和处理消防水,防止污染环境。

SECTION 6: ACCIDENTAL RELEASE MEASURES

第六部分 泄露应急处理

Personal precautions protective equipment and emergency procedures

作业人员个人防护措施、防护装备和应急处理程序

Emergency personnel are advised to wear breathing apparatus, anti-static clothing and rubber oil-resistant gloves.

建议应急处理人员戴携气式呼吸器, 穿防静电服, 戴橡胶耐油手套;

Do not touch or cross the spill;

禁止接触或跨越泄露物;

All equipment used in the operation shall be connected to the ground;

作业时使用的所有设备应接地;

As far as possible to cut off the source of leakage;

尽可能切断泄露源;

Eliminate all ignition sources;

消除所有点火源;

According to the influence area of liquid flow, steam or dust diffusion, the warning area is defined, and the irrelevant personnel are evacuated from the crosswind and upwind to the safe area. 根据液体流动、蒸汽或粉尘扩散的影响区域划定警戒区,无关人员从侧风、上风向撤离至安全区。

6.2 Environmental precautions

环境保护措施

Protect the environment from leakage.收容泄漏物,避免污染环境。

Methods and materials for containment and cleaning up

泄露化学品的收集、清除方法及所使用的处置材料

Small leakage: collect the leaking liquid in airtight container if possible. Absorb with sand, activated carbon or other inert materials and transfer to a safe place.

小量泄露:尽可能将泄露液体收集在可密闭的容器中。用沙土、活性炭或其他惰性材料吸收,并转移至安全场所。

Massive leakage: construction of seawall or excavation of the shelter. Seal the drain. Cover with foam to inhibit evaporation. Transfer to tank truck or special collector by explosion-proof pump, and recycle or transport to waste disposal site for disposal.

大量泄露:构建围堤或挖坑收容。封闭排水管道。用泡沫覆盖,抑制蒸发。用防爆泵转移至槽车或 专用收集器内,回收或运至废物处理场所处置。

SECTION 7: HANDLING AND STORAGE

第七部分 操作处置与储存

7.1 Precautions for safe handing 安全操作的注意事项

Operators should receive special training and strictly abide by the operating procedures.

操作人员应经过专门培训、严格遵守操作规程。

地址: 苏州工业园区唯新路 58 号东区 8 幢

Address: No. 8 East District, No. 58 Weixin Road, Suzhou Industrial Park



安全技术说明书 MSDS Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

页码/ Page No: 6/15

Operational disposal shall be carried out in a place with local ventilation or full ventilation ventilation facilities.

操作处置应在具备局部通风或全面通风换气设施的场所进行。

Avoid eye to contact, avoid inhalation of steam.

避免眼的接触,避免吸入蒸汽。

See section 8 for individual protective measures.

个体防护措施参见第8部分。

Keep away from fire and heat. No smoking in the workplace.

远离火种、热源, 工作场所严禁吸烟。

Use explosion-proof ventilation systems and equipment.

使用防爆型的通风系统和设备。

If canning is required, the flow rate should be controlled and a grounding device should be installed to prevent the accumulation of static electricity.

如需罐装,应控制流速,且有接地装置,防止静电积聚。

Avoid contact with forbidden ligands such as oxidants (see part 10 for forbidden ligands).

避免与氧化剂等禁配物接触(禁配物参见第 10 部分)。

Handling should be light loading and unloading to prevent damage to packaging and containers. 搬运时要轻装轻卸,防止包装及容器损坏。

An empty container may contain harmful residue.

倒空的容器可能残留有害物。

Wash your hands after use and do not eat or drink in the workplace.

使用后洗手,禁止在工作场所进饮食。

Equipped with the corresponding variety and quantity of fire equipment and leakage emergency treatment equipment.

配备相应品种和数量的消防器材及泄漏应急处理设备。

Conditions for safe storage, including any incompatibilities

安全储存的条件、包括任何不兼容性

Store in cool and ventilated storeroom;

储存于阴凉、通风的库房;

Storage temperature should not exceed 37°C;

库温不宜超过 37℃;

It should be stored separately with oxidants and food chemicals, and mixed storage should be avoided by all means (see part 10 for prohibited compounds).

应与氧化剂、食品化学品分开存放,切忌混储(禁配物参见第10部分);

Keep container sealed;

保持容器密封;

Keep away from fire and heat;

远离火种、热源;

地址: 苏州工业园区唯新路 58 号东区 8 幢 Address: No. 8 East District, No. 58 Weixin Road, Suzhou Industrial Park



安全技术说明书 MSDS Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

页码/ Page No: 7/15

Lightning protection facilities must be installed in the warehouse;

库房必须安装避雷设施;

The exhaust system shall be equipped with grounding device to conduct and remove static electricity;

排风系统应设有导除静电的接地装置;

Adopt explosion-proof lighting and ventilation setting;

采用防爆型照明、通风设置;

Prohibit the use of equipment and tools that can easily generate sparks;

禁止使用易产生火花的设备和工具;

The storage area shall be equipped with emergency treatment for leakage and appropriate storage materials.

储区应具备泄露应急处理和合适的收容材料。

7.3 Storage conditions

存储条件

Keep container airtight. Store in a cool, dark place.

保持容器密闭。存放于阴凉、阴暗处。

SECTION 8:

EXPOSURE CONTROLS/PERSONAL PROTECTION

第八部分

接触控制和个体防护

Occupational exposure limit 职业接触限值

The name of the	CAS	The standard	Limit	Note		
component		source	限值	备注		
组分名称		标准来源				
Hypochlorous	7790-92-3	GBZ2.1-2007	MAC			
acid			PC-TWA	_		
次氯酸			PC-STEL	-		

8.2 Biological limit

生物限值

No data

无资料

8.3 Monitoring method

监测方法

GBZ/T 160.1 ~ GBZ/T 160.81-2004 determination of toxic substances in workplace air (series of standards), EN 14042 guidelines for procedures for assessing exposure to chemical or biological agents in workplace air.

GBZ/T 160.1 ~ GBZ/T 160.81-2004 工作场所空气有毒物质测定(系列标准), EN 14042 工作场所空气 用于评估暴露于化学或生物试剂的程序指南。

8.4 Engineering control

工程控制

The workplace is recommended to be separated from other workplaces.

作业场所建议与其它作业场所分开。

地址: 苏州工业园区唯新路 58 号东区 8 幢

Address: No. 8 East District, No. 58 Weixin Road, Suzhou Industrial Park



安全技术说明书 MSDS Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

页码/ Page No: 8 / 15

Closed operation to prevent leakage.

密闭操作,防止泄漏。 Enhance ventilation.

加强诵风。

Set up automatic alarm device and emergency ventilation facilities.

设置自动报警装置和事故通风设施。

Emergency evacuation channels and necessary evacuation areas shall be set up.

设置应急撤离通道和必要的泻险区。

Red area warning lines, warning signs and warning instructions in Chinese shall be set up, and a communication alarm system shall be set up.

设置红色区域警示线、警示标识和中文警示说明,并设置通讯报警系统。

8.5 Personal protective equipment

Respiratory protection: when the concentration in the air exceeds the standard, wear a filter gas mask (half mask). Emergency rescue or evacuation, should wear breathing apparatus.

呼吸系统防护: 空气中浓度超标时, 佩戴过滤式防毒面具 (半面罩)。紧急事态抢救或撤离时, 应该佩戴携气式呼吸器。

Hand protection: wear rubber oil resistant gloves.

手防护: 戴橡胶耐油手套。

Eye protection: wear chemical safety protection eyes.

眼睛防护: 戴化学安全防护眼睛。

Skin and body protection: wear protective overalls.

皮肤和身体防护: 穿防毒物渗透工作服。

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

第九部分 理化特性

9.1 Information on basic physical and chemical properties

基本的理化特性信息

a, appearance 外观 Transparent liquid

c, odor 气味 Slight taste of chlorine

e, Melting point/freezing point:熔点或凝固 No data available 点 无可用数据

f, Initial boiling point / boiling range:初沸 No data available

点或沸程 无可用数据

g, Flash point No data available 闪点 无可用数据

地址: 苏州工业园区唯新路 58 号东区 8 幢 Address: No. 8 East District, No. 58 Weixin Road, Suzhou Industrial Park



安全技术说明书 MSDS Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

页码/Page No: 9/15

服务电话 Tel: 0512-89571807

官方网址 Web: www.weipuhj.com

h, Density

密度

i, Oxidising properties

氧化特性

j, Vapour pressure

气压

k, Upper/lower limit of explosion 爆炸上

限/下限

I, solubility in water

水溶性

m, Partition coefficient n-octanol/water IE

丁醇/水分配系数

n, Viscosity

黏度 (mPa.s)

o, Vapour density

蒸汽密度 (g/m³)

p, Ignition temperature

燃点温度 (℃)

9.2 Other safety information

其他安全信息

No data available

无可用数据

SECTION 10: STABILITY AND REACTIVITY

第十部分 稳定性和反应活性

10.1 Chemical Stability 化学稳定性

The product is stable when stored and used at normal ambient temperature.

正常环境温度下储存和使用, 本品稳定。

Possibility of hazardous reactions

可能的危险反应

No data available

无数据资料

10.3 Conditions to avoid

应避免的条件

Electrostatic discharge, heat, moisture, etc.

静电放电、热、潮湿等。

10.4 Incompatible materials

禁配物

No data available

无数据资料

Hazardous decomposition products

危险的分解产物



安全技术说明书 MSDS Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

页码/Page No: 10/15

No data available 无数据资料

SECTION 11: TOXICOLOGICAL INFORMATION

第十一部分 毒理学信息

Information on toxicological effects

毒理学影响的信息

Refer to below information 参考以下信息

Acute toxicity 急性毒性

Skin corrosion/irritation 皮肤腐蚀/刺激 Serious eye damage/eye irritation 严重眼睛损伤/眼刺激 Respiratory or skin sensitization 呼吸或皮肤过敏 Germ cell mutagenicity 生殖细胞致突变性 Carcinogenicity 致癌性 Reproductive toxicity

生殖毒性 Specific target organ toxicity - single exposure

(特异性靶器官系统毒性(一次接触) Specific target organ toxicity - repeated exposure

(特异性靶器官系统毒性(反复接触) Aspiration hazard

吸入危害

Through the mouth 经口 The suction 吸入 percutaneous 经皮 No data available 无数据资料 No data available 无数据资料 No data available 无数据资料 No data available

无数据资料 No data available 无数据资料 No data available

No data available 无数据资料

无数据资料

No data available 无数据资料

No data available 无数据资料 No data available 无数据资料 No data available 无数据资料 No data available 无数据资料

地址: 苏州工业园区唯新路 58 号东区 8 幢 Address: No. 8 East District, No. 58 Weixin Road, Suzhou Industrial Park

页码/Page No: 11/15



科技服务 改变世界 Change the world with science and technology services

安全技术说明书 MSDS Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

SECTION 12: ECOLOGICAL INFORMATION

第十二部分 生态学信息

Acute toxicity test of fish: no data available.

鱼类急性毒性试验: 无资料。

Daphnia acute activity inhibition test: no data

available.

Algal growth inhibition test: no data available.

藻类生长抑制试验: 无资料。

Toxicity to microorganisms: no data available.

对微生物的毒性: 无资料。

Persistence and degradability: No data available

持久性和降解性 无数据资料

Bio biodegradability No data available

生物蓄积性 无数据资料

Mobility in soil:
No data available

Results of PBT and vPvB assessment: No data available

SECTION 13: WASTE TREATMENT METHODS

第十三部分 废弃物处置方法

12.3

Recycle where possible.

尽可能回收利用。

Waste chemicals: If it can't be recycled, incinerate it.

废弃化学品: 如果不能回收利用,采用焚烧方法进行处置。

Do not dispose of the product by discharging into the sewer.

不得采用排放到下水道的方式废弃处置本品。

Packaging container:

Return the container to the manufacturer or dispose of it in

包装容器 accordance with national and local regulations.

将容器返还生产商或按照国家和地方法规处置。
Discard notes:

Refer to national and local regulations before disposal.

废弃注意事项: 废弃处置前应参阅国家和地方有关法规。

See part 8 for safety precautions for handling personnel.

处置人员的安全防范措施参见第8部分。



安全技术说明书 **MSDS** Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

页码/Page No: 12/15

SECTION 14: TRANSPORT INFORMATION

第十四部分 运输信息

UN Number 14.1 UN 编号

> Non-dangerous goods (for reference only, please verify) ADR/RID 欧洲陆运危规:

非危险货物(仅供参考, 请核实)

Non-dangerous goods (for reference only, please verify) **IMDG** 国际海运危规:

非危险货物(仅供参考, 请核实)

Non-dangerous goods (for reference only, please verify) IATA-DGR 国际空运危规:

非危险货物 (仅供参考, 请核实)

UN proper shipping name 14.2 UN 运输名称

> Non-dangerous goods (for reference only, please verify) ADR/RID 欧洲陆运危规:

非危险货物(仅供参考, 请核实)

Non-dangerous goods (for reference only, please verify) IMDG 国际海运危规:

非危险货物(仅供参考,请核实)

Non-dangerous goods (for reference only, please verify) IATA-DGR:国际空运危规

非危险货物(仅供参考, 请核实)

14.3 UN 运输危险等级 Non-dangerous goods (for reference only, please verify)

ADR/RID 欧洲陆运危规: 非危险货物(仅供参考, 请核实)

Non-dangerous goods (for reference only, please verify) ADR/RID 欧洲陆运危规:

非危险货物(仅供参考, 请核实)

Non-dangerous goods (for reference only, please verify) **IMDG** 国际海运危规:

非危险货物(仅供参考, 请核实)

14.4 包装类别 Non-dangerous goods (for reference only, please verify)

ADR/RID 欧洲陆运危规: 非危险货物(仅供参考, 请核实)

Non-dangerous goods (for reference only, please verify) **IMDG** 国际海运危规:

非危险货物(仅供参考、请核实) Non-dangerous goods (for reference only, please verify) IATA-DGR 国际空运危规:

非危险货物(仅供参考, 请核实)

Environmental hazards 14.5

Marine pollutants (yes/no)

Transport hazard class(es):

no 海洋污染物 (是/否) 否

Special precautions for user

14.6

Packaging group

特殊防范措施

环境危害

地址: 苏州工业园区唯新路 58 号东区 8 幢 服务电话 Tel: 0512-89571807 Address: No. 8 East District, No. 58 Weixin Road, Suzhou Industrial Park 官方网址 Web: www.weipuhj.com



安全技术说明书 MSDS Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

页码/Page No: 13 / 15

The transport vehicle shall be equipped with the corresponding variety and quantity of fire equipment and leakage emergency treatment equipment.

运输车辆应配备相应品种和数量的消防器材及泄漏应急处理设备。

The exhaust pipe of the vehicle carrying the item must be equipped with fire resistance device. 严禁与氧化剂、食用化学品等混装混运。

There should be grounding chain when the tank (tank) car is used for transportation, and a hole partition can be set in the tank to reduce the static electricity generated by the shock.使用槽(罐)车运输时应有接地链,槽内可设孔隔板以减少震荡产生静电。

Do not use the machinery equipment and tools which are easy to produce spark loading and unloading.

禁止使用易产生火花的机械设备和工具装卸。

It is best to ship early and late in summer.

夏季最好早晚运输。

During transportation, we should prevent exposure to the sun, rain and high temperature. 运输途中应防暴晒、雨淋、防高温。

When stopping over, stay away from fire, heat source and high temperature area.

中途停留时应远离火种、热源、高温区。

Road transport should follow the prescribed route, do not stay in residential areas and densely populated areas.

公路运输时要按规定路线行驶,勿在居民区和人口稠密区停留。

It is forbidden to slip away during railway transportation.

铁路运输时要禁止溜放。

It is strictly prohibited to transport in bulk by wooden or cement vessels.

严禁用木船、水泥船散装运输。

Dangerous signs and notices shall be posted on the means of transport according to the relevant transport requirements.

运输工具上应根据相关运输要求张贴危险标志、公告。

SECTION 15: REGULATION INFORMATION

第十五部分 法规信息

Safety, health and environmental regulations/legislation specific the substance or mixture 专门对此物质或混合物的安全、健康和环境的规章/法规

Component Hypochlorous acid CAS: 7790-92-3

组分 Hypochlorous acid CAS: 7790-92-3

Law of the People's Republic of China on prevention of occupational diseases:

中华人民共和国职业病防止法:

地址: 苏州工业园区唯新路 58 号东区 8 幢 Address: No. 8 East District, No. 58 Weixin Road, Suzhou Industrial Park



安全技术说明书 MSDS Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

页码/ Page No: 14 / 15

Classification catalogue of occupational-disease-inductive factors (2015): not included 职业病危害因素分类目录(2015): 未列入

Safety management of hazardous chemicals:

危险化学品安全管理条列:

List of hazardous chemicals (2015): not included

危险品化学品目录 (2015): 未列入

Hazardous chemicals (2017): not included

易制爆危险品化学品目录(2017): 未列入

List of hazardous chemicals under supervision:

重点监管的危险化学品名录:

List of hazardous chemicals under supervision:

首批和第二批重点监管的危险化学品名录: 未列入

Environmental management registration law of hazardous chemicals (trial)

危险化学品环境管理登记法 (试行)

List of hazardous chemicals for key environmental management: not included

重点环境管理危险化学品目录: 未列入

Regulations on the administration of narcotic drugs and psychotropic drugs:

麻醉药品和精神药品管理条列:

Catalogue of narcotic drugs: not included

麻醉药品品种目录:未列入

List of psychotropic drugs: not included

精神药品品种目录:未列入

New environmental management measures for chemical substances:

新化学物质环境管理办法:

List of existing chemical substances in China (2013): not included

中国现有化学物质名录(2013): 未列入

地址: 苏州工业园区唯新路 58 号东区 8 幢 Address: No. 8 East District, No. 58 Weixin Road, Suzhou Industrial Park



安全技术说明书 MSDS Report

MSDS 编号/ Report No.: WP-19102537-HJ-01C3-E

页码/Page No: 15/15

SECTION 16: OTHER INFORMATION

第十六部分 其他信息

The information contained in this safety data sheet is based on the present state of knowledge and current legislation.

Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its sue.

This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

This safety data sheet provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. 本化学品安全说明(SDS)包含的信息是基于知识的现状和当前的立法。

因为这些信息可能被应用到我们无法控制的条件下,对于这种我们不熟悉的情况,请提供妥善的建议,可能后续的安全数据表会参考这些建议修改,但是对应与这种无法控制的条件使用本品有可能产生的后果,我们不承担任何责任。

本化学品安全说明信息是基于实际情况和最终使用目的考虑的。

本化学品安全说明数据只是对健康,安全和环境影响的一个指南,不应被解释为技术性能或特定功能的保证书。

地址: 苏州工业园区唯新路 58 号东区 8 幢 Address: No. 8 East District, No. 58 Weixin Road, Suzhou Industrial Park